



Autumn 1938 and Spring 1939. — No. 212

---

**Grand Prize, Paris 1900**

---

**V. LEMOINE & SON**

**NURSERIES**

**RUE DU MONTET, 136 to 142**

**NANCY**

(FRANCE)

—  
1938 — 1939  
—


**NANCY**

IMPRIMERIE NANCÉIENNE, 15, RUE GUSTAVE-SIMON

---

1958





*Columnnea microphylla*



**Heliopsis scabra flore pleno (Lemoine)**



**Begonia Tapis rose (Lemoine) (épuisé)**



**Gladiolus** *hyb nanceianus* (Lemoine)

# V. LEMOINE & SON

Nurserymen, 136-142, rue du Montet

NANCY (FRANCE)

---

Remittances to be made by cheques payable in England,  
or by money orders payable to Emile Lemoine C. C. P. 4154, Nancy

---

## GREENHOUSE PLANTS

- Abelia** (*Vesalea*) **floribunda**; beautiful carmine red flowers, 2/— each.
- Abutilon chinense**; very large flowers of a beautiful pure yellow, 2/— each.
- **hybridum**; 6 newest sorts for 6/—.
- **megapotamicum** (*vexillarium*); long slender stems, pendulous flowers with a red calyx and an orange corolla, 1/— each.
- **Agatha** (*L.*); calyx red with darker tips, corolla saffron yellow, stamens crimson.
- **Helios** (*L.*); calyx ash-coloured pink, slightly veined corolla, chrome yellow, stamens maroon red.
- **Lyra** (*L.*); calyx pale red, corolla golden yellow, very free.
- **Mistral** (*L.*); calyx and corolla copper red, stamens crimson.
- The four above hybrids, issued from a cross with *A. megapotamicum* for 8/—.
- Agathaea celestis grandiflora**; a pretty variety with large heads of pale sky-blue flowers, 1/— each.
- **hispida**; a species with small narrow leaves and very elegant flower-heads of a bright sky blue, 1/— each.
- **intermedia Miss White**; probably a hybrid; numerous flower-heads of a mauve lilac, excellent plant for hanging baskets, 9 d. each.
- Ageratum arbutifolium**, a woody species with white flowers, 6 d. each.
- Alberta magna**; beautiful glossy foliage, large heads of tubular coral red flowers, 2/6 each.
- Aralia Abelii**, **Baueri**, **Enkei**, **quinquefolia**, **Schafferi**, 1/6 each.
- Arisæma Fargesii**; splendid trifoliate leaves, long brown spathes elegantly striped, 3/6 each.
- Asparagus plumosus Lutzii**; a novelty of a great elegance, 1/— each.
- **Sieberianus** (*L.*); a hybrid between *A. crispus* and *A. tenuissimus*, one of the best for cutting, 1/6 each.
- **Spinellii** (*Spinelli*); a dense tuft of long erect or drooping fronds of a very pleasing appearance, 1/— each.
- Bignonia purpurea**; a new sort with showy purple flowers, 3/— each.
- **Tweediana**; an introduction from Brazil, very elegant foliage, olive green, large clear yellow flowers, 3/— each.
- **venusta**; from Brazil, beautiful saffron red flowers, 3/— each.

## Bougainvillea Crimson lake

We consider this species, introduced from South America, as the handsomest of all Bougainvilleas. Small plants carry a wealth of splendid flowers, with large bracts of the most brilliant crimson passing to bright carmine, 2/6 each.

**Bougainvillea Mrs. Butt**; this handsome variety seems very similar to the above (F. C. C. R. H. S.), 2/6 each.

— **glabra Cypheri**; beautiful crimson bracts, 2/— each.

— — **formosa**; a very showy form from Brazil, 2/— each.

— — **Sanderiana**; a very free-flowering sort, 1/6 each.

— — **Sanderiana variegata**; 2/— each.

— **refulgens**; 2/— each.

— **spectabilis**; bracts of a soft mauve rose, 1/6 each.

— — **lateritia**; bracts of a brick-rose colour, 2/6 each.

**Bowkeria triphylla**; white Calceolaria-like flowers, 1/— each.

**Calceolaria violacea**; a charming plant with a profusion of showy mauve flowers (A. M. R. H. S.), 1/6 each.

**Carpodetus serratus**; a curious shrub of a very peculiar habit, 2/6 each.

**Cestrum Smithii**; large clusters of pink flowers, 1/— each.

**Chenostoma hispidum**; small tubulous flowers of a pale mauve, produced in profusion, 1/— each.

**Columnnea hirta**; a splendid sort with hanging stems, bright green leaves, and enormous erect flowers, scarlet and yellow, 2/6 each.

— **hirta gloriosa**; a counterpart of the above, with a dark bronze foliage (F. C. C. R. H. S.), 3/6 each.

— **hirta lutea** (L.); flowers pure yellow, 5/— each.

— **magnifica**; from Costa-Rica, erect stems, hairy leaves and showy flowers of the most brilliant scarlet, 3/6 each.

— **vedrariensis** (Vilm.); a hybrid between *C. magnifica* and *C. Schiedeana*; beautiful scarlet flowers, 2/6 each.

— **Vilmoriniana** (Vilm.) *C. vedrariensis* crossed by *C. hirta gloriosa*, foliage dark bronze, flowers red, 2/6 each.

## Columnnea microphylla

This superb novelty, introduced from Costa-Rica, is one of the best greenhouse plants for hanging baskets. Its long pendent stems, furnished with very small round leaves, carry handsome large erect flowers of a bright scarlet, spotted yellow, 2/6 each.

**Cyperus alternifolius minimus**; a very graceful form with small narrow leaves, 1/6 each.

— **flabelliformis**; from Abyssinia, tall fronds, very fine, 2/6 each.

**Datura chlorantha**; large flowers, pure yellow, 3/6 each.

**Deyeuxia elegans variegata**; broad striped leaves, reminding one of a glorified variegated *Gynierum*, 2/6 each.

**Dimorphotheca Ecklonis**; a South African Marguerite with a blue disk and long white florets, 6 d. each.

**Dombeya Cayeuxii**; a tender shrub, carrying during the winter its big pendent bunches of pink flowers, 5/— each.

— **Dawei**; another hybrid, somewhat hardier, with paler flowers, 5/— each.

**Dracena Victoria**; a handsome variegated sort, 3/6 each.

**Epiphyllum delicatum**; a new Brazilian sort with a quantity of pale pink flowers, 1/6 each.

— **Russellianum Gaertneri**; flowers scarlet, very free, 1/6 each.

- Eugenia Ugni**; a Chilean shrub with pretty flowers and edible berries, 1/— each.
- Eupatorium micranthum**; a winter-flowering shrub, 6 d. each.
- **Purpusii**; white sweet-scented flowers, 9 d. each.
- **vernale**; broad corymbs of pale pink flowers, 9 d. each.
- Eurya angustifolia fol. var.**; narrow leaves, dark green edged yellow, 2/— each.
- **latifolia variegata**; handsome variegated foliage, 2/— each.
- **Sieboldii**; a Japanese shrub with glossy foliage, 1/— each.
- Feijoa Sellowiana**; a fruit tree hardy on the Riviera, belonging to the *Myrtaceæ*; beautiful red flowers (A. M. R. H. S.), 3/— each.
- **Sellowiana fol. var.**; foliage prettily variegated, 2/6 each.
- Gordonia anomala**; a rare shrub with leathery leaves and fine axillary white flowers, 5/— each.
- Hymenanthera dentata**; small linear leaves, berries oblong, 1/6 each.
- Jasminum grandiflorum flore pleno**; double white flowers, fragrant, 1/6 each.
- **nitidum**; glossy foliage, white fragrant flowers, 2/6 each.
- Leonotis Leonurus**; handsome spikes of coral-red flowers, produced from August to October, 1/6 each.
- Lithospermum prostratum Heavenly blue**; a creeping evergreen, producing a wealth of lovely blue flowers, 1/— each.
- Lonicera Hildebrandtii**; a giant species from the Shan States; large flowers of a beautiful pale orange shade, 3/6 each.
- Metternichia Wercklei**; a new shrub from Costa-Rica, pertaining to the Solanum family, with ovate leathery leaves, and large erect bell-shaped flowers, white passing to pale yellow, fragrant. 7/6 each.
- Monochaetum sericeum multiflorum (L.)**; bright rose flowers, 3/6 each.
- Moschosma riparium**; foliage strongly scented, white flowers, 1/— each.
- Ochna multiflora**; a rare shrub with yellow flowers and black berries surrounded by a scarlet calyx, 2/6 each.
- Olearia lineata**; linear grass-like leaves, extremely graceful, 1/6 each.
- **macrodonta**; pretty foliage reminding one of a Holly, 1/6 each.
- **— ilicifolia**; leaves much broader and of a deeper green, 2/6 each.
- **nitida**; white fragrant flower-heads, 1/— each.
- Osteomeles anthyllidifolia**; very pretty foliage and Cratægus-like white flowers, 1/— each.
- Ozothamnus rosmarinifolius**; pretty foliage, numerous white flowers (A. M. R. H. S.), 1/— each.
- Pereskia Godseffiana**; yellow foliage with purple undersides, 3/6 each.
- Phyllocactus**, 10 choice varieties, 10/—.
- Pisonia Brunoniana**; a new shrub from New Zealand, remarkable for its broad and long glossy Aucuba-like leaves, 2/6 each.
- Pittosporum eugenioides variegatum**; white variegation, 1/6 each.
- **macrophyllum fol. var.**; yellow variegation, 2/— each.
- Pothos celatocaulis**; a splendid climber with large round leaves, 2/6 each.
- Ruellia macrantha**; flowers of a pale rose with purple veins, 1/6 each.
- **Portellæ**; leaves deep green with white veins, purple undersides, and pink flowers, 1/— each.
- Russellia juncea (A. M. R. H. S.) and sarmentosa**; 1/6 each.
- **Lemoinei elegantissima, grandis and multiflora (L.)**; hybrids between *R. juncea* and *R. sarmentosa*; elegant hanging stems with scarlet flowers, 1/6 each.
- Senecio Galpinii**; native of South Africa; succulent leaves, showy orange flowers, 2/6 each.

- Sparmannia africana** flore pleno ; double white flowers, 1/6 each.  
**Stephanotis floribunda Elvastonii** ; handsome white flowers, 3/6 each.  
**Streptosolen Jamesonii** ; beautiful flowers of a bright orange (A. M. R. H. S.), 1/— each.  
**Tacsonia Jamesonii** ; from Quito, superb flowers of a deep rose, 3/6 each.  
 — *mollissima* ; beautiful flowers of a bright rose, 3/6 each.  
 — *sp. Bogota* (*T. Poggendorffii rosea*) ; flowers in the way of *T. mollissima*, but of a bright crimson, 3/6 each.  
**Tecoma jasminoides alba magna** ; large pure white flowers, 2/6 each.  
 — **Smithii** ; trusses of pale orange flowers, 1/6 each.  
**Toxicophloeæ spectabilis** ; trusses of fine sweet-scented white flowers, 3/— each.  
**Viburnum Matskata** (*odoratissimum*), a Japanese evergreen, 2/— each.  
 — *fol. var.* ; 2/6 each.  
 — **Tinus fol. var.** ; foliage edged with yellow and white, 1/6 each.

### Platyterium Lemoinei (L.)

This splendid novelty is a hybrid between *P. Veitchii* and *P. Willinckii*, surpassing both by the unusual size of its deeply divided tips and by its lofty habit, 12/— each.

## LARGE FLOWERED CANNAS

### BEST NEW SORTS

- Antonin Givandan** (*Crozy*) ; flowers canary yellow dotted carmine, 6 d. each.  
**Assant** (*Vilm.*) ; foliage brown, flowers of the largest size, scarlet, 1/6 each.  
**Beethoven** (*Pf.*) ; tall spikes, copper orange, 9 d. each.  
**Consul Vellnagel** (*Pf.*) ; tall, large flowers lemon yellow, 9 d. each.  
**Dollar** ; very broad flowers, golden yellow heavily dotted dark red, 1/6 each.  
**Empel** (*Vilm.*) ; foliage bronze red, flowers cardinal red, 1/6 each.  
**Eureka** ; large flowers, creamy white, 9 d. each.  
**Fulgor** (*Roz.*) ; deep yellow dotted carmine, 6 d. each.  
**Gaikwer of Baroda** (*Pf.*) ; tall, flowers deep canary spotted scarlet, 1/— each.  
**Hungaria** ; large flowers, althea rose, 9 d. each.  
**King Humbert** (*Frenser*) ; foliage bronze red, huge spikes of large orange scarlet flowers, 1/— each.  
**Louis Cayeux** (*H. Cayeux*) ; beautiful spikes of perfect coppery salmon flowers, 1/6 each.  
**Météore** (*Pf.*) ; broad flowers, blood red, 6 d. each.  
**Minerve** (*H. Cayeux*) ; yellow spotted red, 9 d. each.  
**Mrs. Alfred Conard** ; beautiful flowers of a pure rose, 1/6 each.  
**Mozart** (*Pf.*) ; amaranth red, 6 d. each.  
**Oiseau de feu** (*Vilm.*) ; a grand scarlet flower, 9 d. each.  
**Ondine** (*G. and K.*) ; orange red edged yellow, 6 d. each.  
**Panache rouge** (*Vilm.*) ; brilliant orange scarlet, 1/6 each.  
**Pasteur Werner** (*Ernst*) ; tall spikes, flowers orange red edged yellow, 6 d. each.  
**Professeur Voechting** (*Pf.*) ; scarlet edged yellow, 6 d. each.  
**Richard Wagner** (*Pf.*) ; large flowers, orange scarlet with broad yellow edges, 9 d. each.  
**Roi Soleil** (*Vilm.*) ; huge spikes of very broad flowers, bright cherry red, 1/6 each.  
**Rosemond Coles** (*W. W. Coles*) ; a sport from *The President*, scarlet broadly bordered yellow, 2/— each.  
**Rosenberg** (*Ernst*) ; tall, flowers coppery rose, 6 d. each.  
**R. Wallace** (*Pf.*) ; enormous flowers, pure canary yellow, 9 d. each.

**Stuttgardia** (*Ernst*); huge spikes, flowers scarlet edged canary yellow, 9 d. each.

**Sungold**; splendid orange flowers, 2/— each.

**The gem**; flowers straw yellow dotted carmine, 9 d. each.

**The president**; the greatest red Canna; flowers of immense size, 1/— each.

**Triomphe** (*Vilm.*); foliage bronze, large flowers, poppy red, 1/6 each.

**Victoire** (*Vilm.*); large flowers, begonia rose, 1/— each.

**Walhalla**; bright fire red, 6 d. each.

**Yellow King Humbert**; a sport from the well-known variety; foliage green, flowers yellow dotted orange, 1/6 each.

We will supply, our selection, 25 varieties for 15/—.

## FUCHSIAS

A selection of the best varieties, 5/— doz.

Hybrids of *F. Riccartonii*, *coccinea* and *myrtifolia*, hardy in open ground with a small protection, 12 varieties for 6/—.

## DOUBLE IVY LEAF PELARGONIUMS (*P. peltatum*)

A selection of the best sorts, 5/— doz.

## SINGLE ZONAL PELARGONIUMS

A selection of the best sorts 5/— doz.

### NEW SINGLE ZONAL PELARGONIUMS

**Abel Hermant** (*L.*); broad trusses, flowers mauve rose, blotched white on the upper petals, 2/— each.

**Albéric Cahuet** (*L.*); broad flowers, coppery salmon, 2/6 each.

**Baronne de Laroche** (*L.*); broad trusses, large white flowers, 2/— each.

**Captain Fryatt** (*L.*); very big trusses, large flowers, dark blood red, a very good bedding sort, 1/6 each.

**Commandant Raynal** (*L.*); large trusses, flowers brick red, 1/— each.

**Denys Cochin** (*L.*); light scarlet with a white blotch on the upper petals, 2/6 each.

**Emile Mâle** (*L.*); flowers of a perfect shape, bright orange, 2/6 each.

**Forain** (*L.*); broad trusses, flowers of the brightest scarlet, 2/6 each.

**Jean de Pierrefeu** (*L.*); large flowers, blood red, 1/6 each.

**Lieutenant Casale** (*L.*); well shaped flowers, rosy mauve, white blotches on the upper petals, an excellent bedding sort, 1/6 each.

**Louis Forest** (*L.*); large flowers, carmine mottled, passing to white in the centre, 1/— each.

**Ludovic Naudeau** (*L.*); enormous flowers, deep scarlet, reminding of *Paul Crampe*, 2/— each.

**Marcel Pagnol** (*L.*); large round flowers, scarlet shaded carmine, white centre, 2/6 each.

**Pierre Benoît** (*L.*); a vigorous and very free bedding sort, flowers madder-coloured scarlet, 2/6 each.

**René Benjamin** (*L.*); big trusses, flowers mauve blotched white on the upper petals, 2/— each.

### Nouvelle aurore (*L.*)

Flowers of a warm coppery orange with an enormous white centre (ready January 1939), 1/6 each, 15/ doz.

## NEW DOUBLE ZONAL PELARGONIUMS

- Justice (L.)**; round flowers, satiny cerise shaded scarlet, 1/6 each.  
**Léomont (L.)**; big trusses, large semi-double flowers, fiery amaranth blotched orange, white eye, 1/6 each.  
**Liberté (L.)**; crimson carmine with red shades, very free, 1/6 each.  
**Longchamp (L.)**; a pleasing shade of light aniline and salmon red, 1/— each.  
**Trophée (L.)**; full flowers, blood red, white eye, 2/— each.  
**Vérité (L.)**; excellent habit, flowers pure white, 2/— each.

## PENTSTEMONS

A selection of the best sorts, 6/— doz.

## NEW OR RARE HARDY SHRUBS

- Abelia Graebneriana**; a rare species, lately introduced from China, flowers pale pink, yellow at the throat, 2/6 each.  
 — **Graebneriana forma vedrariensis**; easily distinguished from the above by its larger flowers and broader blotches at the throat, 3/6 each.  
 — **longituba (A. Schumannii)**; a very pretty sort with flowers of a lovely soft rose pink during the whole summer (A. M. R. H. S.), 2/6 each.  
 — **serrata**; a very showy deciduous shrub; Weigelia-like flowers, white suffused sulphur, 3/6 each.  
 — **triflora**; deciduous foliage, corymbs of white flowers, 2/— each.  
**Acanthopanax lasiogyne**; a new shrub with thorny stems, small trifoliate leaves, of a dark green variegated with pale green, whitish flowers and black fruits (Western Szechuan, Wilson n° 4167), 2/6 each.  
 — **leucorrhizus scaberulus**; a handsome deciduous shrub from Western China. Leaves composed of five leaflets, and large umbels of striking black fruits, 3/6 each.  
**Actinidia Giraldii**; a rare Chinese climber related to *A. arguta*, 2/— each.  
 — **Henryi**; a new evergreen climber, leathery foliage, bronze passing to a metallic green, then to a reddish hue, flowers bronze red, 2/6— each.  
 — **melanandra**; a new Chinese deciduous species, 1/6 each.  
 — **purpurea**; a new deciduous climber with elliptic leaves, clusters of white flowers and purple berries (Western Szechuan, Wilson No. 1314), 1/6 each.  
 — **rubricaulis**; purplish stems, small leaves, and edible fruits, 1/6 each.  
 — **species**; previously sold as *A. chinensis femina*, leaves broader than in the latter species, flowers male, 2/6 each.  
**Akebia lobata**; a beautiful climber with 3 broad crenate leaflets, 2/6 each.  
 — **quinata**; 5 entire leaflets, flowers chocolate, 1/— each.  
**Aristolochia moupinensis**; a new Chinese species of rapid growth, flowers yellowish green with purple markings, 3/6 each.  
 — **tomentosa**; native from America, remarkable for the tomentum which covers the plant, similar in flowers to *A. Sipho*, 3/6 each.  
**Berberis angulata**; in the way of *B. vulgaris*, flowers yellow, 9 d. each.  
 — **auricoma (L.)**; a superb hybrid between *B. vulgaris* and *B. Thunbergii*, bearing in spring a profuseness of bright yellow flowers, 2/6 each.  
 — **Beaniana**; deciduous foliage, well coloured in autumn; the red fruits are covered with a bluish bloom, 1/6 each.  
 — **Bergmannie**; spiny evergreen leaves, bronzy yellow flowers, 2/6 each.

- Berberis brachypoda** Gibbsii; deciduous; red elliptic berries, 1/6 each.
- **carminea**; small deciduous leaves, carmine red berries, 1/— each.
- **Chenaultii**; hybrid between *B. Gagnepainii* and *verruculosa*, handsome evergreen foliage, flowers golden yellow, very hardy, 5/— each.
- **Dielsiana**; a sub-evergreen from China, small foliage, 1/6 each
- **Edgeworthiana**; small deciduous leaves, deep green with paler undersides, 2/— each.
- **Farreri**; very narrow deciduous leaves, flowers yellow in dense short spikes, 2/6 each.
- **Firefly**; a hybrid with large coral-red berries, 2/— each.
- **Francisci-Ferdinandi**; a showy deciduous species, with yellow flowers and scarlet berries, 1/6 each.
- **Gagnepainii**; an elegant evergreen Barberry of compact growth: the pale yellow flowers are followed by glaucous purple berries, 1/— each.
- **Geraldii Prattii**; deciduous foliage, berries coral red, 1/6 each.
- **Giraldii**; large deciduous leaves, bronze red, long drooping clusters of deep yellow flowers and scarlet berries, 3/6 each.
- **Julianae**; one of the hardiest evergreen Barberries; long coriaceous leaves assuming a brilliant crimson in autumn, 3/6 each.
- **Lecomtei**; probably introduced from Yunnan by abbé Delavay, appears to be related to *B. Thunbergii*, 1/— each.
- **leptoclada**; a low deciduous shrub of distinct glaucous colouring, berries ellipsoid, reddish, 1/— each.
- **pallens**; bright red bark, gorgeous autumn fruits, 2/6 each.
- **Poiretii**; deciduous; long racemes, followed by oblong red berries, 1/6 each.
- **pruinosa longifolia**; long evergreen leaves bright green, flowers yellow, 2/6 each.
- **replicata**; a fine evergreen with long spiny leaves, bearing early in spring a number of fine yellow flowers, 1/— each.
- **sanguinea microphylla**; a handsome evergreen with very narrow leaves, and bright yellow flowers, 3/6 each.
- **Soulicana**; narrow evergreen leaves, with spinose teeth, 2/— each.
- **spathulata**; deciduous spathulate foliage, 1/6 each.
- **species Tengyueh**; probably the same as *B. replicata*, 1/— each.
- **stenophylla autumnalis**; a dense pendulous bush flowering in autumn, 1/6 each.
- — **coccinea**; buds coral red, flowers golden yellow and red, 1/6 each.
- — **corallina**; buds and half-open flowers tinted bright red, 2/6 each.
- — **latifolia**; erect habit, broad leaves, dark green, 1/6 each.
- — **reflexa**; narrow leaves, very dwarf, 2/— each.
- — **semperflorens**; flowers deep yellow in spring and sometimes in summer, 2/— each.
- **Thunbergii atropurpurea**; foliage of a rich blood red, 1/— each.
- **umbellata**; beautiful autumn foliage and carmine fruits, 2/6 each.
- **Veitchiana**; long evergreen leaves in the way of *B. acuminata*, 1/6 each.
- **Veitchii**; very distinct, leathery evergreen very small spiny leaves and bronzy yellow flowers, 3/6 each.
- **verruculosa**; a dwarf evergreen with glossy leaves, flowers yellow, fruits purple (A. M. R. H. S.), 1/— each.
- **Vilmoriniana**; foliage as in *B. Giraldii*, flowers in drooping clusters, 2/— each.
- **Wallichiana hypoleuca**; a fine evergreen for rockeries, 1/6 each.
- **yunnanensis**; deciduous, superb autumnal colouring, 1/6 each.
- Berchemia lineata**; slender stems, very minute round leaves, white flowers with lanceolate petals, 1/— each.

**Buddleia alternifolia** ; slender arching growths, wreathed with small Lantana-like flowers of a soft mauve colour, and sweetly scented (A. M. R. H. S.), 1/6 each.

— **auriculata** ; distinct small-leaved species, with terminal thyrses of white yellow-eyed flowers, deliciously fragrant, tender, 1/6 each.

— **Fallowiana** ; best white-flowered species, whitish foliage, 2/6 each.

— **Farrerii** ; splendid notched foliage, covered with a white tomentum, flowers mauve, 3/6 each.

— **Forrestii** ; a new species introduced by Forrest from Southern China, whitish tomentous foliage and fragrant mauve flowers, 2/6 each.

— **paniculata** ; from Central Asia, grey foliage and very fragrant rosy-lilac flowers in conspicuous panicles, 3/6 each.

— **variabilis alba** ; white form, 2/6 each.

— — **erecta** ; erect spikes of purplish flowers, 1/6 each.

— — **De de France (Nonin)**, a splendid novelty with long purplish blue racemes, 1/— each, 10/— doz.

— — **magnifica** ; remarkable violet colour (F.C.C.R.H.S.), 1/— each.

— — **nanhoensis** ; a dwarf sort, introduced from China, 1/— each.

— — **pendula** ; drooping habit, very narrow leaves, flowers mauve, 1/— each.

— — **pink pearl** ; a variety with pale lilac-pink flowers, 1/— each.

— — **rigida** ; long spikes of heliotrope coloured flowers, 1/6 each.

— — **rosea** ; flowers mauve pink, 2/— each.

— — **serotina** ; flowers usually a month later than *Veitchiana*, 1/— each.

— — **superba** ; deep purple violet flowers, 1/— each.

**Callicarpa Giraldiana** ; introduced from China by Padre Giraldi, and harder than the other species; foliage violet purple, flowers rose and fruits purple, 2/6 each.

— **japonica** ; corymbs of pale pink flowers, followed by a profusion of violet-coloured fruits, 1/— each.

— **longifolia** ; pale violet flowers produced in July, 9 d. each.

**Calycanthus glaucus** ; a rare species with reddish brown flowers, 3/6 each.

**Caryopteris Mastacanthus** ; remarkable for its blue flowers, abundantly produced in autumn, 1/6 each.

— **tangutica (glutinosa)**, greyish foliage, flowers blue, 1/6 each.

**Celastrus Rosthornianus** ; rare species from Central China, small elliptic leaves, flowers greenish white, fruit capsules orange yellow, 2/6 each.

— **rugosus** ; handsome broad-leaved species, 3/— each.

**Cercidiphyllum sinense** ; introduced by Wilson, very broad round leaves, bronze passing to a richer colour in autumn, 3/6 each.

**Chamaecerasus cerulea precox** ; from Siberia, flowers cream, 1/— each.

— **chaetocarpa** ; foliage hispid, flowers primrose yellow, opening in June, from Kansu, 1/— each.

— **deflexicalyx** ; introduced from Kansu ; a dense bush furnished with numerous pale yellow flowers, 1/6 each.

— **Ligustrina yunnanensis** ; a charming shrub with small Box-like foliage and dainty violet-coloured berries (A. M. R. H. S.), 9 d. each.

— **Morrotatarica** ; a showy new hybrid between *C. Morrowii* and *C. tatarica*, 2/6 each.

— **Purpusii** ; a remarkable new hybrid between *C. fragrantissima* and *C. Standishii*, combining the qualities of these two attractive shrubs, 3/— each.

— **syringantha grandiflora** ; large flowers, pink, very fragrant, 2/6 each.

— **syringantha Wolfii** ; flowers pink, deliciously fragrant, 2/6 each.

**Chimonanthus fragrans grandiflorus**, 2/6 each.

- Choisya ternata** ; evergreen ; large clusters of white fragrant flowers, 1/— each.
- Clematis Fargesii** ; a recent introduction from China, pertaining to the *Vitelba* section, 2/6 each.
- **Forestii** ; a rare but tender species from W. China with clusters of pale yellow flowers, 5/— each.
- **montana Parkeri** ; elegant foliage turning to brown, large white flowers, 3/— each.
- — **rubens** ; recently introduced from China, flowers rose pink, 2/6 each.
- Clerodendron Fargesii** ; a very pretty Chinese species, flowers white, fragrant, followed by blue berries (A. M. R. H. S.), 3/6 each.
- **Wilsonii** ; a strong grower, from China, young growths and leaves purple toned, 3/6 each.
- Corylopsis Gotoana** ; the hardiest of all Witch-Hazels, drooping clusters of yellow flowers, 5/— each.
- **platypetala levis** ; handsome foliage and fragrant pale yellow flowers (A. M. R. H. S.), 5/— each.
- **pauciflora** ; a handsome Japanese plant with racemes of pale yellow flowers, produced, before the leaves, 3/6 each.
- **Willmottiae** ; a profusely flowering new shrub, drooping racemes of fragrant yellow flowers, 2/6 each.
- Cotoneaster alpinis** ; a novelty with purplish fruits, 1/— each.
- **conspicua** (K. W. 6.400) ; a spreading prostrate species with small evergreen leaves and very showy orange red berries, 5/— each.
- **foveolata** ; a rare shrub similar to *C. moupinensis* ; berries purple ; leaves colour brilliantly in autumn, 1/6 each.
- **Franchetii fructu maximo** ; a new fine-fruited form, 1/6 each.
- **frigida aldenhamensis** ; a magnificent new variety, the large clusters of berries being of big size and bright red (A. M. R. H. S.), 2/6 each.
- **glabrata** ; a new and rare tall sort, reminding one of *C. frigida*, 2/6 each.
- **glaucophylla** ; a handsome species with evergreen glaucous leaves, late flowering and late in berrying, 3/6 each.
- **Harroviana** ; dense corymbs of white flowers borne on long pendulous growths, fruits coral red (A. M. R. H. S.), 1/6 each.
- **hebeophylla** ; a rare and graceful shrub, with round leaves and many dark red fruits, 2/— each.
- **Henryana** ; shrub semi-pendulous, handsome evergreen channelled leaves, rich green, orange crimson berries, 2/6 each.
- **humifusa** ; a good evergreen trailing plant for the rockery, conspicuous in autumn for its scarlet berries, 2/— each.
- **lactea** ; a rare species bearing resemblance to *C. Harroviana* (A. M. R. H. S.), 2/— each.
- **nitens** ; akin to *C. divaricata*, but of different habit, fruits dark red, nearly black, 1/— each.
- **obscura** ; a deciduous shrub from W. Szechuan, fruits pear-shaped, bright red, 1/— each.
- **rubens** ; an evergreen creeping sort, scarlet berries (A. M. R. H. S.), 2/— each.
- **serotina** ; a very ornamental shrub from China ; the round scarlet fruits are borne in corymbs along the long arching branches (F. C. C. R. H. S.), 1/6 each.
- **Simonsii** ; one of the best red fruited sorts, 9 d. each.
- **Wilsonii** ; a distinct new evergreen sort of prostrate habit, 2/6 each.
- Decumaria sinensis** ; an evergreen climber with white flowers in terminal corymbs, from Central China, 3/6 each.

- Dipelta yunnanensis**; a rare species differing from *D. floribunda* in its more yellow coloured flowers, 3/6 *each*.
- Elæagnus umbellata**; leaves semi-evergreen, with silvery undersides, profuseness of small rosy red dotted berries (A. M. R. H. S.), 9 *d. each*.
- Elsholtzia Stantonii**; long spikes of deep pink flowers, appearing in September, 2/— *each*.
- Enkianthus campanulatus Palibinianus**; very rare, flowers blood red, 5/— *each*.
- Escallonia C. F. Ball**; extra-large rosy-crimson flowers, 1/6 *each*.
- **Donard gem**; flowers of an attractive pink, 2/— *each*.
- **Donard seedling**; a hybrid with pale blush-tinted flowers, 1/— *each*.
- **Edinburgh**; a cross between *E. Philippiana* and *E. punctata*; flowers pink, borne in great profusion, 1/— *each*.
- **langleyensis**; carmine red flowers (A. M. R. H. S.), 1/— *each*.
- **newryensis**; new, flowers deep rose, 1/6 *each*.
- **pterocladon**; long spikes of white flowers, 9 *d. each*.
- **rubra**; a rather tender shrub, flowers red, 9 *d. each*.
- **Slieve Donard**; large apple-blossom pink flowers, one of the hardiest, 2/— *each*.
- **William Watson**; a very fine variety with scarlet flowers, 2/— *each*.
- **wintonensis**; a very beautiful hybrid, remarkable for its tall, elegant habit, flowers rose, 2/— *each*.
- Evodia velutina**; previously offered as *E. hupehensis*; a small tree with a handsome compound foliage, and clusters of red fruits, 5/— *each*.
- Evonymus europæus aldenhamensis**; a most beautiful and free fruiting variety (A. M. R. H. S.), 2/— *each*.
- **repens**; from China, long creeping Ivy-like branches, furnished with evergreen ovate leaves, dark green with apparent nerves, 1/6 *each*.
- **sanguineus**; a deciduous shrub, remarkable for the brilliant autumn colour of its leaves and seed pods, 2/6 *each*.
- Exochorda Giraldii Wilsonii**; from Hupeh, distinguished from the type by its larger flowers, 2/6 *each*.
- **Korolkowii**; probably a synonym of the rare *E. Alberti*, 3/6 *each*.
- **macrantha (L.)**; acknowledged as the showiest of all *Exochordas* (A. M. R. H. S.), 5/— *each*.
- **serratifolia**; an early flowering sort with serrate leaves, 2/6 *each*.
- Fatsyhedera Lizei**; a chance hybrid between *Hedera* and *Fatsia*, beautiful evergreen foliage, 2/— *each*. 20/— *doz*.
- Ficus affinis repens**; a hardy climber with large leathery leaves of a dark green, 1/— *each*.
- Forsythia intermedia spectabilis**; the showiest variety of this useful shrub; flowers deep yellow (F. C. C. R. H. S.), 9 *d. each*.
- **ovata**; a new Korean species with ovate leaves and canary yellow flowers, the earliest and hardiest of all *Forsythias*, 1/— *each*, 10/— *doz*.
- Fothergilla alnifolia (Gardenii)** white sweet-scented flowers in dense spikes before the leaves appear, 3/6 *each*.
- Halesia tetraptera**; from Carolina, very pretty bell-shaped drooping white flowers, 3/6 *each*.
- Hedera dentata variegata**; one the finest and hardiest of all variegated Ivies, 2/— *each*.
- Hypericum Hookerianum**; broad waxy golden flowers, 1/— *each*.
- **patulum Forresterii**; an elegant shrub, 3 feet high, with small ovate leaves, flowers yellow, 1/— *each*, 10/— *doz*.

- Hypericum patulum grandiflorum**; a vigorous variety introduced from China by M. de Vilmorin, with a bold foliage and very broad flowers of a bright yellow during the whole summer, 1/6 each, 15/— doz.
- Ilex ciliospinosa**; previously offered as *I. Fargesii*, beautiful foliage; long narrow spiny leaves of a lustrous deep green, 3/— each.
- **Pernyi**, seedlings; a new Chinese Holly with very fine spiny leaves, 3/6 each.
- **Veitchii**; a large leaved form of *Ilex Pernyi* (A. M. R. H. S.), 2/6 each.
- **Wilsonii**; broad spiny leaves of a glistening green, 2/6 each.
- Jasminum Giralddii**; a fine Chinese sort with deep yellow flowers followed by black fruits, 2/— each.
- **heterophyllum glabricymosum**; a strong growing new Jessamine, freely bearing golden yellow blossoms, 2/— each.
- **primulinum**; large primrose yellow semi-double flowers (F. C. C. R. H. S.), 1/— each.
- **stephanense** (*Thomas-Javit*); this new hybrid is remarkable for its great vigour and freedom, and its large fragrant flowers of a pale pink, (A. M. R. H. S.), 6 d. each, 5/— doz.
- Kadsura japonica fol. var.**; a beautiful sarmentous evergreen with a glossy variegated foliage, 2/6 each.
- Kolkwitzia amabilis**; a Chinese very hardy shrub related to *Diervillas*; numerous flowers pale rose blotched with yellow (A. M. R. H. S.), 1/— each, 10/— doz.
- Ligustrum Chenaultii**; a striking novelty, with very long semi-evergreen leaves, quite hardy, 2/6 each.
- **Henryi**; evergreen glossy foliage (A. M. R. H. S.), 1/— each.
- **Ibota Vicaryi**; quite new, a glowing yellow Privet, 1/6 each.
- **insulare**; allied to *L. vulgare*, with much larger flower panicles, 9 d. each.
- **ionandrum**; one of the smallest-leaved Privets, native of China, flowers white, fruits violet purple, 9 d. each.
- **lodense**; a new very hardy and dwarf sort, whose foliage passes to purple brown in winter, 1/6 each.
- **Prattii**; glossy green Myrtle-like foliage and white flowers, 1/6 each.

## Lonicera Tellmanniana

This splendid new climber is a hybrid between *L. tragophylla* and *L. sempervirens*; it exceeds in vigour all other Honeysuckles and is fully winter hardy. The leaves are large, ovate and pale green, while the long-tubed flowers are rich yellow tipped with bronzy red (A. M. R. H. S.) See coloured plate in the Gardeners' Chronicle, 2/— each, 20/— doz.

- Lonicera tragophylla**; a splendid sort with bronze foliage and handsome yellow flowers (A. M. R. H. S.), 5j— each.
- Loropetalum chinense**; a beautiful Chinese species of the *Hamamelidaceæ*, producing in early spring its curious white plumous flowers, 2/— each.
- Malus hybrida Aldenham purple**; a new hybrid Crab with deep red blossom and purplish red fruits, quite edible, 3/— each.
- **Eleyi**; the new and beautiful Crab-apple raised by Charles Eley, Esq., by a cross between *M. Niedzwetzkyana* and *spectabilis*, a lovely flowering and fruiting form (F. C. C. R. H. S.), 1/— each.
- **gloriosa** (*L.*); a beautiful hybrid raised between *M. Niedzwetzkyana* and *M. Scheideckeri*, of a pyramidal habit with bronzy foliage, carrying a profusion of large purplish rose flowers, 2/6 each.
- **Lemoinei** (*L.*); a new hybrid of *M. Niedzwetzkyana* and of *M. floribunda*; foliage bronze, large well shaped flowers of the brightest scarlet crimson (A. M. R. H. S.), 1/— each, 10/— doz.

- Neillia longiracemosa** ; clusters of long tubulous flowers of a pretty pink (A. M. R. H. S.), 2/6 each.
- **ribesoides** ; small channelled foliage, numerous clusters of pink flowers, very showy, 2/6 each.
- **thibetica** ; differs from *N. longiracemosa* by the bronze coloration of its leaves, 1/6 each.
- Osmanthus Aquifolium argenteo variegatus** ; bright silver variegated foliage, 9 d. each.
- **Forrestii** ; large leathery leaves, furnished with long spines, purplish green passing to dark green, very showy, 5/— each.
- **Fortunei** ; handsome foliated shrub with delightfully fragrant white flowers in autumn, 5/— each.
- **serrulatus** ; narrow evergreen leaves, white flowers, sweet-scented, 3/6 each.
- Osmarea Burkwoodii** ; an evergreen hybrid bet ween *Osmanthus Delavayi* and *Phillyrea decora*, producing clusters of ivory-white fragrant flowers, 2/6 each, 25/— doz.
- Osteomeles Schwerinae (subrotunda)** ; a hardy species of a very graceful habit, very small lustrous leaves and white flowers, 1/— each.
- Paderia tomentosa** ; a Chinese climber bearing a quantity of pretty tubulous flowers, white with a purple throat, 2/6 each.
- Parasyringa sempervirens** ; of the Lilac family, evergreen leathery orbicular leaves, dense panicles of white flowers (A. M. R. H. S.), 2/6 each.
- Periploca laevigata** ; a twining hardy shrub from Korea with slender stems, long narrow leaves and fragrant small flowers, 3/— each.
- Pertya sinensis** ; from Hupeh, flower-heads pinkish purple in June and July, 2/— each.
- Photinia Beauverdiana** ; rare Chinese species introduced by Wilson, beautiful foliage and scarlet fruits, 3/6 each.
- **variabilis (villosa)** ; a rare small tree with white flowers in spring and foliage turning vivid scarlet in autumn (A. M. R. H. S.), 2/6 each.
- Pieris taiwaniana** ; a new evergreen from Formosa, with large Lily-of-the-valley-like flowers in spring, 3/6 each.
- Plagiospermum sinense (Prinsepia)** ; from Manchuria, small bright yellow flowers, and red fruits, 2/— each.
- **utile (Prinsepia)** ; a recently introduced Himalayan species, differing from *P. sinense* in its racemes of white flowers, 1/6 each.
- Poliothyrsis sinensis** ; a Chinese rare tree pertaining to the *Flacourtiaceæ*, with a bronze foliage, 3/6 each.
- Potentilla fruticosa Farreri** ; small bushes of Erica-like foliage, smothered with brilliant yellow flowers (A. M. R. H. S.), 2/— each.
- — **mandchurica** ; a low shrub with white flowers (A.M.R.H.S.), 2/— each.
- — **Moyesii** ; large rich yellow flowers, 2/6 each.
- — **ochroleuca** ; flowers of a very pale yellow, 1/— each.
- — **parvifolia** ; tiny leaves and superb yellow flowers, 3/6 each.
- — **Purdomii** ; introduced from China, flowers light yellow, 9 d. each.
- Prunus Laurocerasus schipkaensis Zabeliana** ; long narrow leaves, 1/— each.
- Pterostyrax corymbosus** ; flowers in long pendulous racemes, pure white, fragrant, 3/6, each.
- **hispidus (Halesia)** ; small fragrant white flowers in drooping racemes, 3/6 each.
- Pyracantha crenulata superba** ; a handsome variety with white flowers and large clusters of cherry-red fruits, 1/6 each.
- — **taliensis** ; differs from the type by its beautiful orange yellow berries, 1/6 each.

- Pyracantha Gibbsii** ; differs from *P. crenulata* by its leaves, more regularly ovate, by the greater abundance of its fruits, and by its hardness (F. C. C. R. H. S.), 1/— each.
- **linifolia** ; linear leaves as in *P. angustifolia*, orange red berries, 1/6 each.
- **massagnensis** ; a new hybrid raised from *P. Gibbsii* crossed by *P. angustifolia* ; long narrow obovate leaves, beautiful flowers and berries, 5/— each.
- **microcarpa** ; pyramidal habit, profuseness of small bronze red berries, 1/6 each.
- **pauciflora** ; lanceolate leaves of a glossy dark green, 3/— each.
- **Rogersiana** ; leaves slightly notched on the margin, dark olive green, bright red berries, 2/6 each.
- Raphiolepis rubra** ; ovate evergreen leaves. flowers red, 2/6 each.
- Rhamnus dahurica** ; large shrub from China with handsome foliage, 3/6 each.
- Rhodotypos tetrapetalus** ; silky foliage and white Anemone-like flowers, 1/6 each.
- Rhus Potaninii** ; a new introduction from China, flowers white, foliage turning to brilliant colours in autumn (A. M. R. H. S.), 5/— each.
- Rubus Bambusarum** ; evergreen trifid leaves, black fruits, 2/6 each.
- **biflorus quinqueflorus** ; a Chinese white-stemmed variety with yellow fruits, 1/6 each.
- **Giraldianus** ; the handsomest of the whole white-stemmed tribe, 2/6 each.
- **Henryi** ; an evergreen species suitable for pergolas, with trifid leaves of a deep shining green, 2/6 each.
- **ireneus** ; one of Wilson's introductions, foliage reminding one of a *Tussilago*, 2/6 each.
- **mesogaeus** ; a new Chinese Blackberry, very handsome, 2/— each.
- **Parkeri** ; from Central China, deciduous entire leaves of a very distinct appearance, 2/6 each.
- **polytrichus** ; a new Chinese shrub with white flowers and bright red fruits, 2/— each.
- **rosaflores** ; very pretty pinnate foliage and large white flowers, 1/6 each.
- **tibetanus** ; handsome lacinated foliage and white stems, 2/6 each.
- **vedrariensis** ; a new hybrid between *R. odoratus* and *R. nutkanus*, flowers pink, 2/6 each.
- Ruscus aculeatus Bowles' variety** ; a superior form of the Butcher's Broom, more handsome in foliage and fruit, 3/6 each.
- Sarcococca humilis** ; a dwarf evergreen with very narrow leaves, of a glossy green, 2/— each.
- **ruscifolia** ; shining evergreen foliage, red berries in autumn, 2/— each.
- **ruscifolia chinensis** ; a red-fruited evergreen differing from the type in its narrower leaves, 2/— each.
- Schizandra sphenanthera** ; a deciduous climber producing numerous flowers of a coppery yellow. 3/6 each.
- Schizophragma integrifolium** ; a new deciduous climber from China, whose inflorescences are surrounded by conspicuous white bracts (A.M.R.H.S.), 5/— each.
- Skimmia Foremanii** ; round evergreen leaves, coral-red berries, probably hybrid between *S. japonica* and *S. Fortunei* (A. M. R. H. S.). 1/6 each.
- **Rogersii** ; broad leaves, large panicles of coral-red berries, 1/6 each.
- **Veitchii** ; broad round leaves, and fine scarlet berries, 1/6 each.
- Spicea arcuata** ; a small shrub from Sikkim, completely covered with its fine trusses of white flowers in arched branches, 1/6 each.

**Spiraea brachybotrys** ; 1/— each.

— **bella Hookeri** ; a tall shrub, flowers pink in May, 1/6 each.

— **expansa** ; young foliage red, flowers red, 1/— each.

— **japonica coccinea** ; a dwarf bush covered with deep crimson flowers from August to October, 2/— each.

— **japonica (Bumalda) crispa**, a striking new variety remarkable for its beautiful crisped and laciniate leaves, pink and yellow variegated, and crimson flowers, 2/— each.

— **japonica Fortunei** ; (*acuminata*) very large branched flat corymbs of a soft pink, in July, 2/— each.

— **japonica ruberrima** ; broad corymbs of carmine red flowers, 3/— each.

— **Menziesii triumphans** ; flower spikes rich deep carmine, very fine, 1/— each.

— **pubescens** ; reintroduced from N. China by Hers, large white flowers, produced during June in corymbose clusters, 1/— each.

— **Sargentiana** ; this species is related to *S. Veitchii*, from which it differs by its larger flowers and is equally fine, 3/6 each.

— **sinobrahuica** ; very distinct Chinese species, introduced by Forrest, 1/— each.

— **Sorbaria stellipila** ; broad white plumes, beautiful foliage, 2/6 each.

— **Veitchii** ; a handsome shrub, carrying long arched shoots with a wealth of white flowers, 2/6 each.

**Stachyurus japonicus** ; yellow flowers appearing in March in pendulous clusters, 1/6 each.

— **præcox** ; the yellow flowers appear in March on the leafless branches, 3/— each.

**Stauntonia coriacea** ; an evergreen climber from China ; male flowers white, female violet, 1/6 each.

**Stranvaesia Davidiana fructu aurantiaco** ; an evergreen belonging to the *Rosaceæ*, trusses of white flowers followed by orange fruits, 1/— each.

— **undulata** ; evergreen, flowers white, fruits coral red, 9 d. each.

**Styrax japonicus Fargesii** ; a handsome variety introduced from Central China ; superior to the well-known type in every respect, 2/6 each.

— **Obassia** ; broad round leaves, flowers white, the largest of the genus, 5/— each.

— **Wilsonii** ; a very distinct species with small leaves, and pretty ivory white flowers (A. M. R. H. S.), 2/— each.

**Sycopsis sinensis** ; an interesting evergreen with leathery dark green leaves, of the family of the *Hamamelidaceæ*, 3/— each.

**Symphoricarpos albus pauciflorus** ; a rare Snowberry from British Columbia, suitable for rockeries, 1/— each.

— **Chenaultii** ; a hybrid of *S. microphyllus* and *S. orbiculatus*, in the way of *S. Giralddii*, smaller foliage, 1/6 each.

— **Giralddii** ; a Chinese sort with white flowers and dark red berries, 1/— each.

— **mollis** ; a choice Snowberry with very large white berries, flowers rose, 1/6 each.

**Trachelospermum japonicum** ; evergreen climber with broad ovate leaves, dark green with a white venation, and turning to bronze, 3/6 each.

— **jasminoides** ; an evergreen climber bearing fragrant waxy white flowers (A. M. R. H. S.), 3/6 each.

**Tripterygium Forrestii** ; a new Chinese climber resembling *Celastrus* ; small white flowers in large clusters, 5/— each.

**Viburnum betulifolium** ; one of the most ornamental of all deciduous Viburnums from Western China ; broad corymbs of small white flowers followed by heavy clusters of bright red fruits, (A. M. R. H. S.) 1/6 each.

- *Viburnum bitchuiense* ; corymbs of flowers similar to those of *V. Carlesii*, and equally fragrant, more lax habit, 2/6 each.
- *buddleifolium* ; a fine shrub with evergreen tomentous leaves, producing in May large corymbs of white flowers, 2/6 each.
- *bullatum* ; large ovate convex leaves assuming various colours in autumn, 2/6 each.
- *Carlesii* ; large trusses of superb white flowers, with a rosy tinge when opening, very fragrant, 2/6 each.
- *cinnamomifolium* ; a handsome shrub with large evergreen leathery foliage and dark blue berries, 3/6 each.
- *coriaceum* ; large evergreen leaves, white tubulous flowers with protruding lilac anthers, 3/6 each.
- *dasyanthum* ; rare red-berried species discovered by E. H. Wilson in Hupeh and Szechuan, 1/6 each.
- *Davidii* ; a fine evergreen of dwarf habit; flowers white (A. M. R. H. S.), 2/— each.
- *Davidii femina* ; white flowers and small blue fruits, 2/6 each.
- *fastidum rectangulum* ; superb foliage bronze red, berries bright scarlet, 3/6 each.
- *fragrans* ; this new shrub, introduced by Farrer from China, rivals *V. Carlesii* in beauty and fragrance; the flowers, white shaded rose, are freely produced in winter and early spring (A. M. R. H. S.), 1/6 each.
- *fragrans album* ; flowers pure white, 1/6 each.
- *Harryanum* ; small round evergreen leaves and white flowers, 2/6 each.
- *Henryi* ; a choice evergreen with long dark green leaves and handsome coral red fruits in autumn, 2/3 each.
- *Hessei* ; a very fine species, carrying in midsummer big trusses of large scarlet berries, 3/6 each.
- *hupehense* ; handsome red berried species from China, 2/6 each.
- *lantanophyllum* ; a new hybrid between *V. Lantana* and *V. rhytidophyllum*, beautiful evergreen foliage and broad trusses of white flowers, 3/6 each.
- *lobophyllum* ; vigorous shrub in the way of *V. betulifolium*, berries scarlet red, 1/— each.
- *propinquum* ; a new evergreen pertaining to the group of *V. Tinus*, 1/6 each.
- *reticulatum* ; corymbs of white flowers in June, berries rose passing to black, 2/6 each.

### ***Viburnum rhytidocarpum* (L.)**

This handsome shrub, which was raised from *V. buddleifolium* crossed by *V. rhytidophyllum*, possess the qualities of both. Its young branches are covered by a brown tomentum, and carry beautiful long ovate leaves, channelled, of a gay green above with nearly white undersides, and broad corymbs of large white flowers, followed by rugose fruits, bronze passing to dark red and black. It is a beautiful addition to the rather short list of perfectly hardy evergreens, 7/6 each.

***Viburnum rhytidophyllum*** ; a tall evergreen with long broadly lanceolate leaves, the upper surface being dark green and much channelled, the under-side covered with a whitish tomentum ; large heads of white flowers, giving place to red berries in September (F. C. C. R. H. S.), 1/— each.

- *rhytidophyllum aldenhamense* ; this variety carries far larger umbels than the type, 3/6 each.
- *rhytidophyllum roseum* ; heads of pinkish flowers, 2/6 each.
- *utile* ; an evergreen shrub with small ovate leaves and beautiful white flowers in April, 1/6 each.

- Viburnum Wilsonii**; new Chinese species resembling *V. theiferum*, 2/6 each.  
 — **Wrightii**; one of the most distinct species, carrying in July big trusses of lustrous scarlet berries, 3/6 each.  
**Vitex macrophylla**; a fine hardy shrub carrying from July until frost its pretty lavender-blue flowers in long terminal racemes, 2/6 each.  
 — **Negundo (incisa)**; deeply divided leaves and violet blue flowers, 1/— each.  
**Vitis brevipaniculata**; leaves deeply three-lobed, berries blue, 2/6 each.  
 — **himalayana rubrifolia**; a splendid climber for covering walls, large trifoliate leaves, purple red passing to green, 3/6 each.  
 — **inconstans Lowii**; leaflets elegantly serrate, bronze green passing to red, 2/6 each.  
 — **megalophylla**; splendid pinnate foliage, 2/6 each.  
 — **Pagnuccii**; a slender climber from Central China, with leaves turning to blood red in autumn, 2/6 each.  
 — **Piasezkii**; rare and variable Chinese species, large hirsute leaves, turning to blood-red in autumn, 2/6 each.  
 — **pulchra**; leaves beautifully tinted in autumn, 2/6 each.  
 — **Romanetii**; vigorous Chinese climber with large leaves passing to a deep pink, 2/6 each.  
 — **serjaniaefolia**; a most graceful climber with very slender stems of a deep purple, and leaves dissected as in some *Aconites*, 1/6 each.  
 — **sinensis**; a species with very variable bright green leaves, suitable for pergolas (A. M. R. H. S.), 2/6 each.

## CEANOTHUS

15/— doz.

- Biela (L.)**; slaty azure blue.  
**Croix du Sud (L.)**; slaty blue.  
**Georges Simon (Simon-Louis)**; grand clusters, lilac pink (A. M. R. H. S.).  
**Gloire de Plantières (S.-L.)**; deep azure blue.  
**Gloire de Versailles (Christen)**; pale blue, very free.  
**Intermedius nanus (Dauvesse)**; bluish lilac.  
**Mélusine (L.)**; lilac blue.  
**Perle rose (L.)**; rose, best of this colour.  
**Pinguet-Guindon (Chenault)**; lilac pink, pedicels carmine.  
**Topaze (L.)**; as hardy as *Gloire de Versailles*, deep blue.  
**Vesta (L.)**; pink.  
**Victor Jouin (S.-L.)**; dark blue, dwarf.

### Ceanothus autumnal blue (*Burkwood*)

An evergreen shrub raised from a cross with *C. thyrsiflorus*; flowers of a fine shade of Plumbago blue, from August until autumn (A. M. R. H. S.), 2/6 each.

### Ceanothus Burkwoodii (*Burkwood*)

Another attractive evergreen raised from a cross between *C. floribundus* and *C. Indigo*, carrying from July to November abundant spikes of real blue flowers, 3/6 each.

## DEUTZIAS

**Cuneata** ; this new sort, of mid height, is remarkable for its profuseness of white flowers, 2/6 *each*.

**Farrer 109** ; a striking novelty, introduced from China by the late Reginald Farrer; white wavy-edged flowers produced in numerous spherical trusses, 2/6 *each*.

### *Deutzia crenata azaleæflora* (L.)

A very striking new sort, carrying beautiful hemispherical panicles of well expanded erect flowers, reminding of the shape of Azalea blooms, pure alabaster white, early, 3/6 *each*.

### *Deutzia crenata eminens* (L.)

Tall erect branches furnished with a dark green foliage, large pyramidal panicles, handsome flowers with reflexed petals of a glistening white, very showy, 1/6 *each*.

### *Deutzia crenata erecta* (L.)

A grand variety raised from *D. crenata caudidissima plena* crossed by *D. Vil-morinæ*, tuft of upright branches, large single flowers, milk white, borne in handsome pyramidal clusters (A. M. R. H. S.), 2/6 *each*.

### *Deutzia crenata macrothyrsa* (L.)

This is perhaps the most floriferous of our hybrid Deutzias, the tall shrub being covered on the whole length of its branches with a profusion of pure white flowers in panicles of an unusual size, 2/— *each*.

### *Deutzia crenata magnifica* (L.)

Handsome well expanded double flowers, pure white, produced with the greatest profusion (A. M. R. H. S.), 1/6 *each*.

### *Deutzia crenata superba* (L.)

Panicles of 15 to 20 broad well expanded flowers, pure white, one of the showiest sorts, 3/6 *each*.

### *Deutzia hybrida Contraste* (L.)

This superb variety was raised from a cross of *D. longifolia purpurea* ; it carries beautiful panicles of large flowers with reflexed, slightly fringed petals, of a mauve pink, whose outsides are adorned with a median purple streak of a very pleasing appearance, very showy (A. M. R. H. S.), 2/6 *each*.

### *Deutzia hybrida Joconde* (L.)

A magnificent novelty of the same origin, big almost spherical panicles, very large flowers, often cup-shaped, white with pink outsides and buds, 5/— *each*.

## Deutzia hybrida Magicien (L.)

A most showy variety, equally raised from a cross of *D. longifolia*, well furnished panicles of very large flowers with waved and fringed petals, mauve pink edged white, and purplish underneath, 2/6 each.

## Deutzia hybrida Mont-Rose (L.)

This handsome novelty was raised by crossing a pink form of *D. longifolia* with *D. discolor elegantissima*. It forms a very graceful bush covered with large trusses of well expanded flowers of a very pleasing mauve pink, 1/6 each, 15/— doz.

## Deutzia hybrida Perle rose (L.)

This showy shrub, raised from a cross between *D. longifolia* and *D. Wilsonii*, is remarkable for its unusual floriferousness; its high shoots carry a quantity of large flowers with reflexed petals, pale mauve pink with pink buds, 5/— each.

## EARLY FLOWERING DIERVILLAS (WEIGELIAS)

	each. s. d.
<b>Avalanche (L.)</b> ; large flowers, pure white without any tinge of pink.	1 6
<b>Bouquet rose (L.)</b> ; large flowers, satiny rose, produced early in May.	1 6
<b>Buisson fleuri (L.)</b> ; large flowers in thick clusters, carmine rose and mauve, throat blotched pale yellow and carmine, very free.....	1 6
<b>Conquérant (L.)</b> ; immense flowers, deep rose, outside carmine .....	1 6
<b>Glorieux (L.)</b> ; rosy mauve with deeper outside.....	1 6
<b>Gracieux (L.)</b> ; white with a sulphur throat, outside salmon pink....	0 9
<b>Messenger (L.)</b> ; large flowers, China rose, carmine throat.....	1 6
<b>Perle (L.)</b> ; cream white edged pale pink, buds pink.....	1 6

## HYDRANGEAS

### NEW HYDRANGEA HORTENSIS

	each. s. d.
<b>Amarante (Mouillère)</b> , large waved flowers, amaranth red.....	1 0
<b>Ami Pasquier (M.)</b> ; crimson carmine flowers, <i>very early</i> .....	1 6
<b>Domotoï</b> ; beautiful double florets, white flushed pale pink.....	1 0
<b>Elmar (Wintergalen)</b> ; good trusses, deep carmine red.....	1 0
<b>Etincelant (L.)</b> ; perfect flowers, bright carmine with apparent nerves (A. M. R. H. S.).....	1 0
<b>Freya (W.)</b> ; fringed flowers, deep carmine.....	1 0
<b>Germaine Mouillère (M.)</b> ; large fringed flowers, milk white.....	1 0
<b>Helge (W.)</b> ; carmine rose, very free and <i>early</i> .....	1 6
<b>La Marne (M.)</b> ; broad trusses, large fringed flowers, carmine rose.	1 0
<b>La perle (M.)</b> ; very large fringed flowers, pure white.....	1 0
<b>Loreley (W.)</b> ; clear red, dwarf, free and <i>early</i> .....	1 6
<b>L'Or du Rhin (W.)</b> ; broad regular flowers, pure rose.....	1 0
<b>M<sup>me</sup> Enile Mouillère (M.)</b> ; flowers pure white.....	1 0
<b>Magenta (L.)</b> ; large fringed flowers of a light rose.....	1 0
<b>Maréchal Foch (M.)</b> ; deep rose, very free, beautiful in blue.....	1 6
<b>Neige orléanaise (Chaubert)</b> ; broad corymbs of pure white flowers..	1 0
<b>Parsival (W.)</b> ; perfect flowers, deep carmine (A. M. R. H. S.).....	1 0
<b>Peer Gynt</b> ; broad corymbs of a bright rose.....	1 0

	each. s. d.
<b>Prince bleu</b> ; carmine, when treated, the colour becomes corn flower blue. . . . .	1 6
<b>Progrès (L.)</b> ; flowers pure carmine, splendid in blue . . . . .	1 6
<b>Rosabelle</b> ; beautiful trusses, deep rose . . . . .	1 6
<b>Rubis (L.)</b> ; broad trusses, deep ruby red . . . . .	1 0
<b>Splendens (H. Cayeux)</b> ; deep red, extra fine . . . . .	1 6
<b>Triomphe (H. C.)</b> ; large trusses, deep rose, very good habit. . . . .	1 6

### Rouget de Lisle (L.)

This new variety carries very broad trusses of perfectly shaped flowers, of an intense carmine red. After many years of experience, it is acknowledged as one of the best growers, showing exceptional qualities of hardiness and freedom, and we are confident it will be most welcomed by the trade. Certificate of merit, Paris 1927. Gold medal and Prize of Honour, Paris 1928, 10/— doz.

## PHILADELPHUS

### LEMOINE'S NEW HYBRIDS

	each. s. d.	per 6 s. d.
<b>Albâtre (L.)</b> ; an extremely floriferous shrub, full double white flowers produced in dense panicles, very showy. . . . .	1 0	5 0
<b>Avalanche (L.)</b> ; small foliage, fragrant white flowers (A. G. M. R. H. S.). . . . .	2 6	" "
<b>Bouquet blanc (L.)</b> ; double white flowers, set in thick clusters. . . . .	1 0	" "
<b>Norma (L.)</b> ; a very tall sort, 10 feet high, large single white flowers (A. M. R. H. S.). . . . .	1 0	" "
<b>Pyramidal (L.)</b> ; a tall sort with dense erect bunches of double white flowers. . . . .	1 0	5 0
<b>Velléda (L.)</b> ; small foliage, large single flowers of a perfect shape, petals slightly waved, pure white, sweet scented. . . . .	1 0	5 0
<b>Virginal (L.)</b> ; a vigorous and tall shrub, large double flowers in dense clusters, pure white (F. C. C. R. H. S.). . . . .	0 9	3 6

### LATEST NOVELTIES

### Amalthée (L.)

A vigorous sort with long lustrous leaves, and large flowers, slightly blotched pale pink, 2/— each.

### Atlas (L.)

A handsome tall growing sort, enormous flowers, over 2 1/2 inches wide, broad petals milk white (A. M. R. H. S.), 2/6 each.

### Belle Etoile (L.)

A vigorous and very free flowering sort; large well expanded flowers, petals milk-white with a purple blotch, very sweet-scented; the hardiest of purple-eyed varieties (A. G. M. R. H. S.), 2/6 each, 25/— doz.

### Enchantement (L.) <sup>ff</sup><sub>ff</sub>

Long erect branches furnished with thick panicles of double white flowers of the most striking appearance, an improvement on *Bouquet blanc*, 1/— each.

### Innocence (L.)

Long arched branches carrying a wealth of large single flowers of the purest white, assuming the appearance of snowy sheaves of blooms, 1/6 each, 15/— doz.

### Philadelphus brachybotrys

We consider this species as the best *Philadelphus* introduced from China. Its tall branches are covered with large fragrant flowers, 2/6 each.

## TREE PÆONIES

### NEW HYBRIDS OF PÆONIA LUTEA

#### Alice Harding (L.)

This striking novelty, raised from a cross between *Pæonia lutea* and the Japanese variety *Yaso Okina*, carries large full fragrant flowers of the purest yellow, exactly the colour of Rose *Souvenir de Claudius Pernet*. It was greatly admired by everyone who saw it, and especially by the well-known plant lover after whom it is named, 60/— each.

#### Aurore (L.)

This new variety produces tall stems, well showing their numerous single flowers with broad petals of a coppery terra-cotta colour, 15/— each.

#### Chromatella (L.)

This is a sport from the beautiful variety *Souvenir de Maxime Cornu*, whose it is a true counterpart; it is quite identical to it but for the colour of its flowers, which are of a pure sulphur yellow, without any shade of salmon or buff, 30/— each.

#### Flambeau (L.)

A variety carrying large full double flowers, of a bright salmon red with purple veins, passing to a paler shade after some days, a striking novelty, 21/— each.

#### La Lorraine (L.)

This plant is equally the result of a cross between *Pæonia lutea* and a variety of *Pæonia Moutan*. Large well expanded flowers of a good substance, quite full, the petals, nearly imbricated, being of a soft sulphur yellow with a salmon tinge when opening, the colour becoming lighter and purer when fully expanded.

It was awarded a work of art at the Paris horticultural Exhibition in 1909, a first class silver medal at the Ghent quinquennial Exhibition April 1913, and a First Class Certificate by the Floral Committee of the Royal Horticultural Society, May 14, 1913. (Coloured plate on application), 15/— each.

#### L'Espérance (L.)

A vigorous hybrid between *Pæonia lutea* and a variety of *Pæonia Moutan*, tall upright stems, good flower-stalks, single flowers 8 inches wide, with 8 to

10 broad, round, fringed and waved petals, clear primrose yellow with a buff shade, blotched carmine at their base. Numerous stamens with blood red filaments, pistil green, clothed by a bronze red tunic, scarlet stigmata. It is very hardy and flowers abundantly in June (F. C. C. R. H. S.), 60/— *each*.

### M<sup>me</sup> Louis Henry (*L. Henry*)

This interesting variety was raised by the late Louis Henry from a cross between *P. lutea* and *P. Moutan Queen Elizabeth*. The cup-shaped flowers, of about 6 inches in breadth, are formed of 6 or more waved petals. The colour is a mixture of carmine, buff and pink, shaded salmon and coppery yellow, with purple markings at the base of the petals, 15/— *each*.

### Satin rouge (*L.*)

Another hybrid raised between *Pæonia lutea* and a dark coloured sort of *P. Moutan*. This shrub is exceedingly vigorous, with a bright green healthy foliage. Each stem is carrying in June one or two large full double flowers, averaging 8 inches in breadth, with broad petals of a satiny appearance, and of a bright blood-red, passing to an old red shade after some days: quite a new colour in Tree Pæonies, 30/— *each*.

### Souvenir de Maxime Cornu (*L. Henry*)

A vigorous sort raised by L. Henry at the Paris Museum from *P. lutea* hybridised with *P. Moutan Ville de Saint-Denis*. It forms a bush 3 to 4 feet high. Every stem carries 2 or 3 full flowers, 7 to 8 inches in diameter, with crowded and wrinkled petals, of a deep yellow, heavily shaded orange salmon, fragrant, (A. M. R. H. S.) (Coloured plate on application), 10/— *each*.

## SYRINGA VULGARIS

The prices of the first column concern strong plants, those of the second medium-sized plants, those of the third small field-grown or pot plants, all of them being grown on their own roots.

### DOUBLE LILACS

	each		
	s. d.	s. d.	s. d.
<b>Capitaine Perrault</b> ( <i>L.</i> ) grand spikes, big full flowers of a superb rosy mauve; a superior and late flowering sort	» »	5 0	» »
<b>Champlain</b> ( <i>L.</i> ); double flowers with broad imbricated lobes, deep violet blue edged pale lilac	3 6	3 0	» »
<b>Duc de Massa</b> ( <i>L.</i> ); big panicles, large flowers, purplish lilac	» »	3 6	» »
<b>Edith Cavell</b> ( <i>L.</i> ); big pyramidal thyrses, large regular imbricated flowers, pure milk white, buds suffused cream and pale sulphur	» »	3 6	3 0
<b>General Pershing</b> ( <i>L.</i> ); double flowers of a quite unusual size, of a rich purplish violet, late, very showy	» »	7 6	3 6
<b>Georges Claude</b> ( <i>L.</i> ); regular imbricated flowers, bluish mauve and cobalt	3 6	3 0	» »
<b>Henri Robert</b> ( <i>L.</i> ); huge thyrses, large full flowers, slaty purplish blue with paler undersides	3 6	3 9	» »
<b>Julien Gérardin</b> ( <i>L.</i> ); flowers soft lilac, suffused pale cobalt blue	» »	3 6	» »

	each.		
	s. d.	s. d.	s. d.
<b>Katherine Havemeyer</b> ( <i>L.</i> ); large panicles, enormous well shaped flowers, cobalt lilac flushed mauve; one of the handsomest double lilacs, early.....	» »	5 0	3 6
<b>Léon Gambetta</b> ( <i>L.</i> ); round regular flowers, pink lilac, early.....	» »	3 0	» »
<b>M<sup>me</sup> Antoine Buchner</b> ( <i>L.</i> ); long spikes, flowers soft pink, late.....	» »	3 6	» »
<b>M<sup>me</sup> Lemoine</b> ( <i>L.</i> ); big panicles, flowers pure white.....	3 0	2 6	» »
<b>Madeleine Lemaire</b> ( <i>L.</i> ); broad panicles of double white flowers.....	3 0	2 6	2 0
<b>Maréchal Lannes</b> ( <i>L.</i> ); semi-double flowers, of an amazing size, bluish violet (A. M. R. H. S.).....	» »	3 6	» »
<b>Miss Ellen Willmott</b> ( <i>L.</i> ); grand elegant spikes, flowers of a perfect shape, snow white (A. M. R. H. S.).....	3 6	3 0	» »
<b>Mrs. Edward Harding</b> ( <i>L.</i> ); big panicles of large full flowers of the brightest carmine red.....	» »	5 0	3 6
<b>Montaigne</b> ( <i>L.</i> ); incurved flowers of a pinkish mauve..	» »	» »	3 0
<b>Olivier de Serres</b> ( <i>L.</i> ); enormous clusters of perfect flowers, azure lilac, a splendid sort.....	» »	3 0	» »
<b>Paul Deschanel</b> ( <i>L.</i> ); immense panicles of very broad flowers rosy mauve with earmine buds, exerdingly free..	» »	3 6	3 0
<b>Paul Thirion</b> ( <i>L.</i> ); broad obtuse panicles of large flowers, claret rose with carmine buds, very late.....	» »	» »	3 6
<b>Président Fallières</b> ( <i>L.</i> ); a splendid late-flowering sort, broad incurved flowers, pale pink (A. M. R. H. S.).....	» »	3 0	» »
<b>Président Poincaré</b> ( <i>L.</i> ); broad and long thyrses, large full flowers, claret mauve with purplish buds.....	» »	» »	3 6
<b>Savonarole</b> ( <i>L.</i> ); deep cobalt and azure blue, purple buds	» »	3 6	» »
<b>Victor Lemoine</b> ( <i>L.</i> ); grand thyrses, flowers azure mauve, fading to a paler shade, a beautiful sort.....	» »	3 0	» »

### Ami Schott (*L.*)

Dense panicles of broad double cucullate flowers, deep cobalt blue with paler reverses; a superb novelty, 15/— *each*.

### Rosace (*L.*) (1)

A magnificent novelty with broad and long spikes of very regular large double flowers of a soft mauve pink: an improvement on the beautiful variety *Président Fallières*, expanding after all other varieties are over, 15/— *each*.

### Souvenir d'Alice Harding (*L.*)

By a last testimonial to the memory of the late Mrs. Edward Harding, whose authority in Lilacs was universally acknowledged, we are dedicating to her name this outstanding novelty, which she herself selected among a lot of our seedlings. The large full double flowers are produced in very big panicles, 50/— *each*.

(1) Our customers of the United States are requested to send their orders for this variety to Messrs. Jackson and Perkins Co, Newark, N. Y. our sole agents for the sale of *Syringas Rosace*, *Ambassadeur*, *Candeur*, and *Sweginzowti albida* in the U. S. A.

# SINGLE LILACS

	each.		
	s. d.	s. d.	s. d.
<b>Capitaine Baltet</b> ( <i>L.</i> ) ; huge panicles of very large flowers of a warm shade of purple lilac.....	» »	3 6	3 0
<b>Cavour</b> ( <i>L.</i> ); long upright panicles, flowers slaty blue..	» »	3 0	» »
<b>Crépuscule</b> ( <i>L.</i> ); large panicles and pips, deep azure blue.	» »	3 6	3 0
<b>Marceau</b> ( <i>L.</i> ); grand panicles, broad flowers, claret purple	» »	3 6	3 0
<b>Marie Finon</b> ( <i>L.</i> ); large branched panicles, flowers aia-baster white, very free.....	» »	3 6	3 0
<b>Maurice Barrès</b> ( <i>L.</i> ), one of the handsomest single lilacs, exceedingly free, azure lilac .....	» »	3 6	» »
<b>Mont-Blanc</b> ( <i>L.</i> ); enormous thyrses, large round flowers, pure white, late .....	» »	3 6	3 0
<b>Saturnale</b> ( <i>L.</i> ); one of the most floriferous of all lilacs. enormous panicles of bluish mauve flowers.....	» »	3 6	» »
<b>Vésuve</b> ( <i>L.</i> ); large regular flowers, deep claret purple ..	» »	3 6	3 0

## Ambassadeur (*L.*) (1)

Broad spikes of very large single flowers of a most charming appearance; the rounded, slightly reflexed lobes are of a pleasing azure lilac, enlightened by a large white centre. A true gem, 10/— *each*.

## Candeur (*L.*) (1)

Long upright pyramidal clusters of very large flowers, with long tubes and broad cucullate lobes of a very novel shape, creamy white : one of the very best single whites, 7/6 *each*.

## Etna (*L.*)

Broad panicles of medium-sized regular flowers, deep claret purple, late; probably the most approaching to red, 5/6 *each*.

## Maréchal Foch (*L.*)

This superb novelty was pronounced by that expert horticulturist, the late Félix Crousse, to be the handsomest of all single Lilacs. The high panicles, carried by long straight stems, are truly immense and very light; the individual flowers, perfectly shaped, are of a bright carmine rose with a pink eye when opening, contrasting with the mauve of the older flowers and the deep carmine of the buds; early. Will create a sensation among Lilac lovers (A. M. R. H. S.), 7/6 *each*.

## Masséna (*L.*)

Strong upright spikes, flowers over 1 inch broad, of the deepest purple red (A. M. R. H. S.) 7/6 *each*.

---

(1) Our customers of the United States are requested to send their orders for this variety to Messrs. Jackson and Perkins Co, Newark, N. Y., our sole agents for the sale of *Syringas Rosace*, *Ambassadeur*, *Candeur*, and *Sveginzowii albida* in the U. S. A.

## Prodige (L.)

This novelty carries good trusses of immense flowers, fully measuring 1 1/2 in. in breadth, of a deep purplish red, 10/— each.

### EARLY LILACS

Hybrids of *Syringa vulgaris* and *S. Giraldii*

*Syringa Giraldii*, from China, is remarkable for its flowering a week or two before the earliest sorts. A cross with it originated a new race of tall growing Lilacs which expand their flowers in April. They naturally produce long flowering shoots, and seem particularly fit for forcing purposes.

	each.		
	s. d.	s. d.	s. d.
<b>Buffon (L.)</b> ; big clusters of flowers with reflexed lobes, mauve lilac.....	» »	3 6	» »
<b>Catinat (L.)</b> ; very tall shrub carrying immense branched panicles of large mauve pink flowers.....	8 6	3 0	» »
<b>Fénelon (L.)</b> ; medium-sized clusters of pink flowers, the same colour as <i>macrostachya</i> , even earlier than <i>Mirabeau</i> ..	5 0	» »	3 6
<b>Louvois (L.)</b> ; voluminous clusters of large single flowers, deep violet purple with bluish shades.....	3 6	3 0	» »
<b>Mirabeau (L.)</b> ; flowers mauve, the earliest of all ....	» »	5 0	» »
<b>Montesquien (L.)</b> ; huge panicles of round single flowers, purplish lilac, exceedingly free and floriferous ..	3 6	» »	» »
<b>Necker (L.)</b> ; flowers rose pink.....	» »	3 6	» »
<b>Pascal (L.)</b> ; pure lilac, very free .....	» »	3 0	» »
<b>Vauban (L.)</b> ; double regular flowers, pale mauve pink ...	» »	3 6	3 0

## Syringa Adamiana

A recently introduced species, related to *S. Wilsonii*, carrying very long branched spikes of mauve pink flowers, a splendid novelty, 3/6 each.

## Syringa Henryi alba (L.)

A vigorous shrub with upright branches, carrying a wealth of great panicles of white flowers, with slightly coloured buds, 6/— each.

## Syringa Henryi Lutèce (L. Henry)

A hybrid raised by the late *Louis Henry* between *S. villosa* and *S. Josikæa*, carrying at the end of May big panicles of mauve violet flowers, 2/6 each.

## Syringa Henryi Prairial (L.)

A new hybrid of *S. Henryi Lutèce* crossed by *S. Wilsonii*. The tall branches carry a wealth of broad panicles of soft mauve flowers, 3/6 each.

## Syringa Henryi Rutilant (L.)

Big upright panicles of medium-sized flowers with long tubes, of a purplish red colour and purple buds, very showy, 2/— each.

### **Syringa Julianæ**

A small spreading shrub as broad as tall, with a small foliage of a dark green, and broad panicles of small flowers, pale lilac fading to white, fragrant, and of a very pleasing appearance, 5/— each.

### **Syringa microphylla**

A low shrub with small foliage, carrying a wealth of purplish red flowers appearing in early May, very showy, 3/6 each.

### **Syringa microphylla superba (Chenault)**

A chance hybrid remarkable for its slender branches carrying in early May a wealth of small sweet-scented pink flowers, 5/— each.

### **Syringa Palibiniana excellens**

Among a number of seedlings of this Korean species, recently introduced by the late E. H. Wilson, we found a variety of outstanding beauty, which we are glad to offer now. The slender branches are furnished with medium-sized, ovate-elliptic, cucullate leaves, and carry, about the middle of May, a wealth of dense and elegant clusters of fragrant flowers with long tubes and small lobes of a soft mauve lilac shade, 3/6 each.

### **Syringa Sweginzowii albida (L.)**

This new hybrid proceeds from a cross between *S. Sweginzowii superba* and *S. Wilsonii*, and develops tall slender stems of a dark bronze colour, lenticellate, carrying at the end of May a profuseness of much branched panicles of the most elegant character; the rather large, long tubed flowers with reflexed lobes are of a delicate pale pink passing to white, very sweet-scented, 5/— each.

### **Syringa Sweginzowii densiflora (L.)**

This shrub, which has the same parentage as the above, is quite equally showy, when it carries at the end of May its enormous clusters of pale pink flowers, remarkable for their purple throats and their prettily reflexed lobes; very sweet-scented, 5/— each.

### **Syringa Sweginzowii superba**

This superb plant, introduced from China through the Paris Museum, carries in June a wealth of lovely flowers borne in long ramose clusters, of a soft flesh colour, and deliciously fragrant (A. M. R. H. S.), 2/6 each.

---

## **HARDY PERENNIAL PLANTS**

**Aconitum Fischeri Wilsonii**; showy blue flowers, late, 1/6 each.

— **Napellus Spark's var.**; showy flowers of a deep blue, 1/— each.

- Aconitum paniculatum** ; flowers pale blue, 1/— each.
- **Wilsonii** ; handsome spikes of blue flowers, late, 1/6 each.
- Alyssum saxatile citrinum** ; flowers of a pale lemon, 1/— each.
- — **flore pleno** ; double flowers, golden yellow, 1/— each.
- Amsonia salicifolia** ; flowers pale blue in erect trusses, 1/6 each.
- Anchusa italica Dropmore** ; light gentian blue.
- — **morning glory** ; rich blue (A. M. R. H. S.) 9 d. each.
- — **opal** ; bright sky blue, 6 d. each.
- — **pride of Dover** ; deep blue, 6 d. each.
- **myosotidiflora** ; Myosotis-like sky-blue flowers, 1/— each.
- Anthemis tinctoria alba** ; white flower-heads, 1/— each.
- — **Perry's var.** ; a striking new variety smothered from June to September with large bright yellow flowers (A. M. R. H. S.), 9 d. each.
- Arabis alpina carminea** ; flowers of a bright carmine, 1/6— each.
- — **grandiflora superba** ; large pure white flowers, 6 d each.
- Armeria Bees'ruby** ; flowers bright carmine, 1/— each.
- **Lauchiana** ; trusses of carmine rose flowers, 9 d. each.
- **Welwitschii** ; flowers pink, 9 d. each.
- Asclepias Douglasii** ; big globular trusses of white flowers with purple calyx, 1/6 each.
- Aubrietias**, 10 varieties à 6 d. each.
- Bambusa (Arundinaria) anceps** ; long and narrow leaves of a dark green in dense vertical clusters, 3/— each.
- (*Phyllostachys*) **flexuosa** ; stems green, graceful foliage, very hardy, 3/6 each.
- (*Arundinaria*) **gracilis** ; long slender branches, narrow leaves, dark green, 2/— each.
- (*Arundinaria*) **humilis** ; bright green foliage, dwarf, from Japan, 2/6 each.
- (*Arundinaria*) **Kan-Tsiku** ; stems brown, elegant foliage, light green, 2/6 each.
- (*Arundinaria*) **Metake (japonica)** ; 10 feet, dull brown stems, broad and long leaves, deep green, 3/— each.
- (*Arundinaria*) **Murielæ** ; new introduction from Central China, very graceful, 3/— each.
- **Nidularia** ; a tall sort with upright stems and long leaves, 3/— each.
- **pygmaea** ; smallest of dwarf Bamboos, invaluable for carpeting, 2/— each.
- (*Arundinaria*) **Ragamowskii** ; long and broad leaves, 2/6 each.
- (*Phyllostachys*) **sulfurea** ; brilliant green foliage with golden canes, 2/6 each.
- **viminalis** ; a dwarf sort with short leaves light green, 2/6 each.
- Baptisia australis** ; superb blue flowers, 2/— each.
- Betonica officinalis alba** ; dwarf ; white flowers in June, 6 d. each.
- Callimeris incisa cerulea (Turbat)** ; pale blue flower-heads, 1/— each.
- Campanula Wilsonii** ; a dwarf plant covered with lilac blue flowers, 6 d. each.
- Chrysanthemum maximum Beauté nivelloise, étoile polaire, Everest, gloire de Vitry, grandiflorum, Mrs. C. Lowthian Bell and plume d'autruche**, 1/6 each.
- Convolvulus mauritanicus** ; flowers blue, 1/— each.
- Coreopsis grandiflora Perry's var.** ; handsome semi-double yellow flowers (A. M. R. H. S.), 9 d. each.
- **lanceolata bicolor** ; large fimbriated florets with a broad dark blotch at their base, 2/— each.
- **lanceolata oculata** ; bright yellow with a small dark blotch at the base of the florets, 6 d. each.
- Dielytra spectabilis alba** ; the white Bleeding-Heart, 1/6 each.
- Dioscorea caucasica** ; beautiful foliage, soft green, 2/— each.

- Echinops nivalis** ; large heads of white flowers, 9 d. each.  
 — **spherocephalus** ; flower-heads pale blue, 1/6 each.  
**Eomecon chionantha** ; a pretty white-flowered plant allied to Poppies, 1/6 each.  
**Erigeron elatior Antverpia (Nagels)** ; broad flowers of a beautiful lilac blue, 1/— each.  
 — **Merstham glory** ; semi-double flowers of violet blue colouring (A. M. R. H. S.), 6 d. each.  
 — **Quakeress** ; pale lavender mauve, very fine, (A. G. M. R. H. S.), 6 d. each.  
 — **speciosus major** ; pale blue flowers with a yellow disk, 9 d. each.  
 — **Villarsii** ; flowers lilac pink, 1/— each.  
**Eryngium planum** ; stems and flowers of a deep steel blue, 1/6 each.  
**Eulalia gracillima univittata** ; long narrow leaves, very graceful, 1/— each.  
**Geranium armenum Merstham variety** ; deep rose petals with a black blotch at their base, 1/— each.  
 — **grandiflorum** ; pretty foliage, flowers blue, 6 d. each.  
 — **sanguineum lancastriense** ; very dwarf, dainty pink flowers, 9 d. each.  
 — **platypetalum** ; large purplish flowers with violet veins, 6 d. each.  
 — **Richardsonii album** ; pretty foliage and white flowers, 1/6 each.  
**Gemm fire opal** ; fiery scarlet suffused orange, 1/— each.  
**Gynierium argenteum albo lineatum** ; broad variegated leaves, 2/6 each.  
 — — **elegans** ; one of the best Pampas grasses, 1/6 each.  
 — — **fol. aureo lineatis** ; green striped yellow, 1/6 each.  
 — — **fol. niveo vittatis** ; white striped leaves, 1/6 each.  
 — — **monstrosum** ; immense white plumes, one of the finest, 1/6 each.  
 — — **roi des rogers** ; deep rose plumes, 1/6 each.  
 — — **Stenackeri fol. var.** ; a grass-like dwarf sort with a white variegation, 1/6 each.  
 — **Wesseringi fol. var.** ; white striped foliage, 1/6 each.  
 — **jubatum (Cortaderia Quila)** ; long arched white plumes, 2/6 each.  
**Gypsophila paniculata Bristol fairy** ; double flowers, pure white, twice the size of the common sort and earlier (A. M. R. H. S.), 9 d. each, 7/6— doz.  
 — — **Rosenschleier** ; a superb novelty with large pink flowers (A. M. R. H. S.), 1/6 each, 15/— doz.  
**Helium autumnale Chippertfield orange** ; brilliant orange yellow, flamed brick red, new, 9 d. each.  
 — — **crimson beauty** ; 2 feet, flowers bronze crimson, early, 9 d. each.  
 — — **Mrs. Bradshaw** ; finest crimson, (A. M. R. H. S.), 1/— each.  
 — — **Moerheim beauty (Ruys)** ; flower-heads of an intense mahogany red, 1/6 each.  
 — — **Riverton gem** ; maroon suffused with red (A. M. R. H. S.), 6 d. each.  
 — — **rubrum** ; flower-heads maroon red (A. M. R. H. S.), 9 d. each.  
 — — **Wyndley** ; 3 feet, large bronze and yellow flowers, early, 9 d. each.  
**Hemerocallis** ; 20 beautiful sorts a 6 d. to 1/6 each.  
**Hepatica angulosa** ; the American counterpart of our common species ; pretty foliage, flowers sky blue, 1/6 each.  
**Lychnis Viscaria splendens plena** ; double carmine red flowers, 6 d. each.  
**Monarda didyma alba** ; whorls of pure white flowers, 1/— each.  
 — — **Cambridge scarlet** ; best of the red-flowered varieties (A. G. M. R. H. S.), 1/— each.  
 — — **Wisley variety** ; deep purple heads, 1/6 each.  
**Nepeta macrantha** ; a tall sort with pretty spikes of blue flowers, 1/— each.  
 — **Mussinii** ; clumps of minute lavender flowers, 4 d. each.

- Nepeta Mussinii superba**; flowers blue 1/— each.
- **souvenir d'André Chaudron**; dwarf habit, very large flowers of a rich blue, 9 d. each.
- Orobis aurantiacus**; from Asia minor, flowers orange brown, 1/6 each.
- Phlomis samia**; large whorls of pure yellow flowers, 6 d. each.
- Phlox canadensis tapis de neige**; white, 1/— each.
- — **violet queen**; flowers of a deep violet. 1/— each.
- Physostegia virginiana Vivid**; deep carmine rose flowers (A. M. R. H. S.), 1/— each.
- Phytolacca clavigera**; a rare Himalayan perennial; dense spikes of rose pink flowers, followed by crimson and black berries (A. M. R. H. S.), 2/— each.
- Plumbago Griffithii** (*Ceratostigma Griffithii*); foliage bronze red and flowers bright blue, 1/6 each.
- **Larpenae** (*Ceratostigma plumbaginoides*), a very hardy dwarf plant, covered in autumn with clusters of sky-blue flowers, 4 d. each.
- **minus** (*Ceratostigma minus*); small foliage, flowers slaty blue, 2/6 each.
- **Willmottiae** (*Ceratostigma Willmottiae*); a beautiful new plant from China, smothered with brilliant light sky-blue flowers, 1/6 each.
- Polygonum campanulatum**; a very pretty plant with panicles of white flowers, 6 d. each.
- Potentilla alba**; foliage of an *Astrantia*, flowers white, 4 d. each.
- **Gibson's scarlet**; a beautiful hybrid with crimson scarlet flowers, 1/— each.
- **Roscoeana**; flowers salmon red with scarlet centre, 1/6 each.
- **splendens**; very fine white flowers during the whole season, 1/— each.
- **Tongei**; flowers coppery red, blotched maroon, 1/6 each.
- Rodgersia aesculifolia**, beautiful foliage; white flowers in branching spikes, 1/6 each.
- **pinnata superba**; long spikes of white or pink flowers, 1/6 each.
- **podophylla**; very fine palmate foliage, 2/— each.
- Rudbeckia laciniata flore pleno**; a tall growing plant producing large double yellow flowers (A. M. R. H. S.), 4 d. each.
- **nitida autumn glory**; large flowers deep yellow, invaluable for cutting, 1/— each.
- — **Herbstsonne**; a handsome plant carrying immense light yellow flowers with a green central cone, 1/— each.
- **speciosa** (*fulgida*); flowers bright yellow with a black disk, 4 d. each.
- Ruellia ciliosa**; a North American sort with pale blue flowers, 2/— each.
- Saxifraga** (*Megasea*) **Beesiana**; ornamental foliage, flowers rose, 2/6 each.
- (*Megasea*) **Delavayi**; flowers crimson, with a bronze foliage, 2/6 each.
- Senecio clivorum**; deep orange flowers, 1/6 each.
- **Veitchianus**; tall spikes of yellow flowers, 1/6 each.
- **Wilsonianus**; tall erect branches, flowers golden yellow, 1/6 each.
- Silene compacta**; from Asia minor, superb heads of bright carmine rose flowers, 2/6 each.
- Solidago golden wings**; the most decorative of all Golden Rods, tall arching much branched yellow sprays, fragrant (A. M. R. H. S.), 4 d. each.
- Stokesia cyanea alba**; white suffused with pale blush. 2/6 each.
- — **grandiflora**; very broad flower-heads, lilac blue, 1/— each.
- — **precox**; an early flowering sort with blue flowers 2/— each.
- Thalictrum Delavayi album**; pure white flowers, 1/6 each. 15/— doz.
- **diptercarpum**; elegant Maidenhair-fern-like foliage, dainty mauve blue flowers with yellow anthers, 9 d. each.
- Trollius asiaticus Salamandre**; brilliant deep orange, 1/6 each.
- **hybridus Goldquelle**, large golden yellow globular flowers, 2/— each.
- Verbena bonariensis**; from Buenos-Ayres, tall stems, purplish flowers, 10 d. 1/— each.

**Veronica elegans carnea**; graceful spikes of pink flowers, 1/— each.  
 — **incana**; grey foliage, blue spikes, 1/— each.  
**Vittadinia triloba Moerheimii (Ruys)**; a new variety with flowers larger than the type, pale mauve rose, produced during the whole summer, 6 d. each.  
*And many other herbaceous plants.*

## ANEMONE

**Hupeliensis**; a sort from Hupch, approaching to *A. japonica*; flowers with 5 sepals, deep pink and carmine, very early, and perfectly hardy. 1/6 each.  
**Vitifolia Farreri**; still more vigorous than the above, tall loose much branched peduncles of well formed pale pink flowers, 1/6 each.  
**Vittadia robustissima (L.)**; this variety, raised from a cross with *A. japonica*, is remarkable for its large pink flowers, and for its absolute hardiness and great vigour, rapidly spreading over large areas, 2/6 each.

## HARDY ASTERS (MICHAELMAS DAISIES)

### NEW AND RARE SORTS

	each. s. d.
<b>Anita Ballard (Ballard)</b> ; incurved florets, soft cornflower blue (A. M. R. H. S.).....	1 0
<b>Barr's pink (Barr)</b> ; <i>Novæ-Angliæ</i> ; well opened flowers, bright pink.	0 9
<b>Belle Rottraut (Junge)</b> ; pale pink, early.....	1 0
<b>Brightest and best (Beckett)</b> ; deep purple rose, late (A. M. R. H. S.)	0 6
<b>Céleste (Vilm.)</b> ; bunches of semi-double flowers, aniline blue, .....	1 0
<b>Climax (Beckett)</b> ; tall panicles of light blue flowers (A. M. R. H. S.).....	0 9
<b>Cloudy blue</b> ; double flowers, pretty shade of lavender blue (A. M. R. H. S.).....	0 9
<b>Emma Bedau (Arends)</b> ; <i>Amellus</i> , ultramarine violet, early.....	0 9
<b>Empress of Colwall (Ball)</b> ; large double flowers, violet or heliotrope.	1 0
<b>Erica (Vilm.)</b> ; large semi-double flowers, pale mauve.....	0 9
<b>Gerbe d'azur (L.)</b> ; large flowers, light blue with deeper base .....	1 6
<b>Glory of Colwall (Ball)</b> ; semi-double, lavender blue, tall.....	0 9
<b>Grey lady</b> ; semi-double, opal grey flowers.....	0 9
<b>Heather glow</b> ; flowers extra-large, brilliant rose.....	1 0
<b>Hon. Edith Gibbs (Beckett)</b> ; <i>ericoides</i> , pale blue flowers in profusion (A. M. R. H. S.).....	0 6
<b>Hybridus luteus</b> ; flower-heads lemon yellow, dwarf.....	1 0
<b>King of the Belgians (Beckett)</b> ; large semi-double flowers, lavender blue (A. M. R. H. S.).....	0 6
<b>Little boy blue</b> ; semi-double, bright blue flowers, early.....	2 0
<b>Lutetia (Cayeux)</b> ; a hybrid of <i>A. microcephalus</i> and <i>A. Novi-Belgii</i> , large mauve flowers.....	1 0
<b>Maggie Perry (Perry)</b> ; immense flowers, soft mauve (A. M. R. H. S.).	1 0
<b>Mrs. George Monro</b> ; semi-double, pure white.....	1 0
<b>Mons (Beckett)</b> ; large flowers, rose .....	0 6
<b>Mother of pearl</b> ; very large flowers, pale mauve .....	0 9
<b>Mount Everest</b> ; tall pyramids of pure white flowers.....	1 0
<b>October dawn</b> ; enormous flower-heads, mauve lilac (A. M. R. H. S.) ..	1 6
<b>Oiseau bleu (G.) Amellus</b> ; slender ligules, periwinkle blue, 2/— each.	
<b>Pretiosa (Arends)</b> ; <i>Amellus</i> , large violet blue flowers.....	1 0
<b>Purple prince (Beckett)</b> ; <i>Novæ-Angliæ</i> , tall, purple a with a yellow eye (A. M. R. H. S.).....	0 6
<b>Queen Mary (Wells)</b> ; large conical trusses of rich blue flowers (A. M. R. H. S.).....	2 0

	each. s. d.
<b>Queen of Cornwall</b> ( <i>Ball.</i> ) ; very large semi-double flowers, pale mauve (A. M. R. H. S.).....	1 0
<b>Red rover</b> ; given as the most approaching to red.....	1 0
<b>Royal blue</b> ; large flowers, pale blue, early.....	1 0
<b>Sam Banham</b> ; a pure white <i>Climax</i> .....	0 6
<b>Snowdrift</b> ( <i>Ballard</i> ) ; large snow-white double flowers (A. M. R. H. S.)..	1 0
<b>Wells' favourite</b> ( <i>Wells</i> ) ; the best pink <i>Amellus</i> .....	1 0

## ASTILBES

<b>Grandis</b> ; a very tall species, flowers white.....	0 6
<b>Taquetii</b> ; a dwarf sort with handsome spikes of rose pink flowers, <i>late</i> ..	2 0

## NEW HYBRIDS

	each s. d.
<b>Carminea</b> ( <i>L.</i> ) ; feathery flowers of a purplish rose .....	1 0
<b>Cérès</b> ( <i>Arends</i> ) ; feathery panicles of pink flowers, <i>early</i> (A. M. R. H. S.).	1 0
<b>Crépuscule</b> ( <i>L.</i> ) ; tall plumes of a pale blush pink.....	0 6
<b>Féerie</b> ( <i>L.</i> ) ; big panicles, fleshy white.....	0 4
<b>Gerbe de neige</b> ; feathery flowers, pure white .....	0 6
<b>Gloria</b> ; superb panicles, deep rose, <i>early</i> .....	1 0
<b>Gloria rubra</b> ; deepest carmine red, <i>early</i> .....	1 6
<b>Junon</b> ( <i>A.</i> ) ; 3 feet, bright purplish rose, <i>early</i> .....	0 6
<b>Lumineux</b> ( <i>L.</i> ) ; 3 feet, dense plumes, carmine, fading to pink, <i>late</i> .	1 0
<b>Magenta</b> ( <i>L.</i> ) ; 3 feet, panicles of the purest carmine, <i>late</i> .....	1 0
<b>Mont-Blanc</b> ( <i>L.</i> ) ; feathery flowers, almost pure white .....	0 4
<b>Mousseline</b> ( <i>L.</i> ) ; clusters soft pink, a little drooping.....	0 4
<b>Nébuleux</b> ( <i>L.</i> ) ; compact erect panicles, pure white.....	0 6
<b>Némésis</b> ( <i>L.</i> ) ; aniline carmine, <i>late</i> .....	1 0
<b>Perle rose</b> ( <i>A.</i> ) ; 2 feet, very pale pink, <i>early</i> .....	0 6
<b>Pyramidal</b> ( <i>L.</i> ) ; very good panicles, milk white.....	0 4
<b>Queen Alexandra</b> ; compact panicles, pale pink, <i>very early</i> .....	0 6
<b>Reine des saumons</b> ( <i>A.</i> ) ; pale salmon pink, <i>early</i> (A. M. R. H. S.)..	0 9
<b>Rubella</b> ( <i>L.</i> ) ; dense feathery panicles of a pale pink .....	1 0
<b>Sémaphore</b> ( <i>L.</i> ) ; pale pink fading to creamy white.....	0 6
<b>Souci</b> ( <i>L.</i> ) ; tall branches, pale salmon pink.....	0 9
<b>Titien</b> ( <i>L.</i> ) ; tall erect branches, pale mauve pink, <i>late</i> .....	0 9
<b>Tourbillon</b> ( <i>L.</i> ) ; white slightly suffused pink .....	0 6
<b>Vesta</b> ( <i>A.</i> ) ; 2 1/2 ft, pale mauve, early.....	0 6

The 24 varieties, 15/—.

## CAMPANULA PERSICIFOLIA

	each. s. d.
<b>Candélabre</b> ( <i>L.</i> ) ; double, white shaded pale lilac.	1 0
<b>Coquette</b> ( <i>L.</i> ) ; broad nearly flat single flowers, pure white.	1 6
<b>Coupe d'azur</b> ( <i>L.</i> ) ; semi-double, rich lilac and blue.	1 0
<b>Globe azuré</b> ( <i>L.</i> ) ; single flowers, sky blue.	0 6
<b>Hébé</b> ( <i>L.</i> ) ; large flowers, double white.	0 9
<b>La fée</b> ; large single flowers, pale blue.	0 6
<b>La mauve</b> ( <i>L.</i> ) ; double, a very soft shade of pale mauve.	1 0
<b>Nivôse</b> ( <i>L.</i> ) ; very broad cup-shaped double flowers, snow white.	1 0
<b>Pfitzeri</b> ( <i>Pf.</i> ) ; double blue flowers.	1 0

## DELPHINIUMS

	each.	s.d.
<b>Albert de Mun (L.)</b> ; mauve edged blue, prominent white centre.....	1 6	
<b>Alfred Croiset (L.)</b> ; semi-double flowers, lilac mauve, white eye.....	1 6	
<b>Ampère (L.)</b> ; cup-shaped flowers, mauve edged sky blue.....	1 0	
<b>Arago (L.)</b> ; pure ultramarine blue.....	2 0	
<b>Cambria (W. Samuel)</b> ; large semi-double flowers, pale heliotrope, eye black (A. M. R. H. S.).....	1 6	
<b>Capri (Ruys)</b> ; a counterpart of the well-known variety <i>Moerheimii</i> , with sky-blue flowers.....	0 9	
<b>Charles Nungesser (L.)</b> ; semi-double imbricated flowers, intense sky blue, white eye.....	2 0	
<b>Colibri (L.)</b> ; a hybrid of <i>D. tatiense</i> ; medium sized single paniculate flowers, pure ultramarine blue.....	1 0	
<b>Commandant Chapuis (L.)</b> ; very long spikes, semi-double flat flowers, turquoise, brown eye.....	2 0	
<b>Concours (L.)</b> ; very large flowers, pure mauve.....	1 0	
<b>Eurydice (L.)</b> ; a superb novelty with perfect semi-double flowers, white faintly shaded very pale lilac.....	5 0	
<b>François Nagels (Nagels)</b> ; violet, eye white.....	1 6	
<b>Hector Lemaire (L.)</b> ; semi-double or full cup-shaped flowers, mauve edged pale blue, white eye.....	1 0	
<b>Henri Fabre (L.)</b> ; purple violet, brown eye.....	1 0	
<b>King of Delphiniums</b> ; large single flowers, deep blue, white eye.....	1 0	
<b>La Bourdonnais (L.)</b> ; double flat flowers, azure blue.....	0 9	
<b>Libellule (L.)</b> ; a hybrid of <i>D. tatiense</i> , numerous branched panicles, flowers single, pale turquoise, produced during the whole season.....	1 0	
<b>Lucien Guitry (L.)</b> ; full imbricated flowers, petals mauve edged sky blue.....	1 0	
<b>Moerheimii (Ruys)</b> ; finely cut foliage, flowers single, pure white....	0 9	
<b>Pierre Louys (L.)</b> ; flowers sky blue and mauve, white eye.....	1 6	
<b>Pierre Petit (L.)</b> ; imbricated flowers, violet mauve, centre cream...	1 0	
<b>Pierre précieuse (L.)</b> ; imbricated, azure blue suffused violet.....	1 0	
<b>Sir Douglas Haig</b> ; grand spikes, deep purple and blue.....	2 0	
<b>Socrate (L.)</b> ; mauve lilac, black eye.....	0 9	
<b>Van Veen's triumph (Van Veen)</b> ; large flowers, mauve.....	1 0	

*We will supply, our selection, 12 choice Delphiniums in field-grown plants for 12/— and 18/—*

## DOUBLE FLOWERED HELIOPSIS SCABRA

*Heliopsis scabra* and its varieties are among the most hardy of this brilliant group of *Compositæ*, producing their flowers in succession throughout the summer. The following new double sorts were raised after long and patient selections. and are already much appreciated.

	each.	per 6
	s. d.	s. d.
<b>Eminens (L.)</b> ; a superb variety with enormous double flowers, large imbricated and reflexed florets, chrome yellow.....	1 0	5 0
<b>Formosa (L.)</b> ; semi-double flowers, shape of a Cactus-Dahlia, bright yellow.....	1 0	5 0
<b>Gigantea (L.)</b> ; a very tall sort, enormous cup-shaped flowers with two rows of florets, golden yellow.....	1 6	" "
<b>Imbricata (L.)</b> ; full flower-heads, pointed florets, perfectly imbricated, pure chrome yellow.....	1 0	5 0

	each. s. d.	per 6 s. d.
<b>Incomparabilis</b> ( <i>L.</i> ); very large double flower-heads, broad florets of a supert chrome yellow (A. M. R. H. S.).....	2 6	» »
<b>Latiflora</b> ( <i>L.</i> ); very broad flowers, 2 rows of long florets, light chrome yellow, small disk.....	1 6	7 6
<b>Magnifica</b> ( <i>L.</i> ); very large flowers, broad emarginated florets, deep golden yellow .....	1 6	7 6
<b>Nitida</b> ( <i>L.</i> ); two rows of flat reflexed florets, golden yellow, very fine .....	1 0	5 0
<b>Patula</b> ( <i>L.</i> ); very large semi-double well shaped flowers, straight florets with fringed tips, deep orange yellow (A. M. R. H. S.).	1 6	» »
<b>Plenissima</b> ( <i>L.</i> ); very large, full and imbricated flowers, golden yellow.....	1 0	5 0
<b>Præstans</b> ( <i>L.</i> ); tall branches covered with very large semi-double flowers, broad reflexed florets, light yellow.....	0 9	3 6
<b>Primulina</b> ( <i>L.</i> ); cup-shaped flowers with 2 rows of florets, bright yellow.....	0 6	» »
<b>Pulchella</b> ( <i>L.</i> ); full globular flowers, deep orange yellow.....	0 6	» »
<b>Spectabilis</b> ( <i>L.</i> ); a tall sort with nearly full flowers and pointed florets, pure chrome yellow.....	1 6	5 0
<b>Sphærocephala</b> ( <i>L.</i> ); pompon-shaped flowers, slightly fimbriated, deep egg-yellow.....	0 6	2 6
<b>Vitellina</b> ( <i>L.</i> ); large full imbricated flowers, golden yellow...	0 9	» »
<b>Zinniaeflora</b> ( <i>L.</i> ); double flowers, imbricated florets, bright yellow.....	0 6	2 6

The 17 varieties for 16/6

## HEUCHERAS

12 varieties, our selection, 4/— to 6/—

### Heuchera tiarelloides (*L.*).

A very fine bigeneric hybrid between *Heuchera* and *Tiarella*, very pretty flowers, pink and white, 7/6 doz.

### Heuchera tiarelloides alba (*L.*)

This new variety is a beautiful counterpart of the above. The vine-shaped leaves are of a lustrous green, mottled with pale green and bronze, the high and erect spikes are furnished with an abundance of white flowers of the most pleasing appearance, 7/6 doz.

## PHLOX DECUSSATA

A selection of the best sorts previous to 1913. 4/— doz.

### VARIETIES OF 1913 TO 1917

7/6 doz.

**Adrien Hébrard** (*L.*); large flowers, pure rose with pale mauve rays.  
**Albéric Magnard** (*L.*); bluish mauve lilac with a white halo.  
**Albert Bernard** (*L.*); mauve lilac, large white centre.  
**Alfred Pouillée** (*L.*); large flowers, pale pink, centre rose.  
**André Alexandre** (*L.*); coppery rose, eye purple.

**Australie (Pf.)**; broad panicles, flowers amaranth carmine.  
**D<sup>r</sup> Paul Reclus (L.)**; flax rose with a purplish eye and a pale pink halo.  
**Elie Metchnikoff (L.)**; pure aniline carmine.  
**Ernest Bussière (L.)**; enormous flowers, flax rose, eye bright rose.  
**Frédéric Passy (L.)**; handsome flowers, pink and mauve, white eye.  
**Général de Castelnau (L.)**; very large flowers, salmon carmine, crimson eye.  
**Général Gouraud (L.)**; grand clusters, flowers scarlet, eye crimson.  
**Henri Poincaré (L.)**; large flowers, amaranth, eye purple.  
**Henry Fursy (L.)**; somewhat dwarf, large horizontal panicles, round flowers, white and flax grey in rays, purplish eye.  
**Infante Eulalie (L.)**; enormous panicles of pure white flowers.  
**Jeanne Darlaud (L.)**; very large flowers, milk white (A. M. R. H. S.).  
**Jules Contant (L.)**; flowers purplish rose, five blotches pale grey.  
**Marathon (L.)**; pyramidal panicles of blood-red flowers.  
**Maréchal French (L.)**; a vigorous tall sort, flowers deep red, eye blood red.  
**Nicolas Rousselot (L.)**; carmine shaded with salmon, purple eye.  
**René Gilbert (L.)**; pink with a white centre.  
**Romain Rolland (L.)**; spherical panicles, orange red, purple eye.

#### NOVELTIES

1/6 each.

**Amadis (L.)**; broad trusses, large flowers, flax-rose, extra fine.  
**Annie Laurie (Beckett)**; light orange red, eye crimson.  
**Armada (L.)**; bright pink rose, shaded mauve, white centre.  
**Australie (Pf.)**; broad panicles, flowers amaranth carmine.  
**Cacique (L.)**; enormous flowers, carmine, eye crimson.  
**Candidat (L.)**; grand panicles, flowers flax rose, eye rose edged white.  
**Christiane (L.)**; hemispherical panicles, pure white, eye cream.  
**Corsaire (L.)**; broad flowers, flax rose, eye deep purple.  
**Crépuscule (L.)**; very large pips, flax and mauve, eye pale rose.  
**Croisade (L.)**; enormous flowers, white and pale violet, in rays.  
**Malmaison (L.)**; big panicles, flowers salmon, eye cerise.  
**Mousquetaire (L.)**; grand panicles, very broad flowers, rose shaded lilac, large centre blood red, with a mauve halo.  
**Oriflamme (L.)**; pyramidal panicles, large flowers orange red, eye purple.  
**Paladin (L.)**; enormous salmon pink flowers, broad eye cerise, edges of the lobes blotched cerise.  
**Perle (L.)**; broad trusses, perfect flowers, of a very pale mauve pink.  
**Satrape (L.)**; round flowers, bright lake rose, star pale pink.  
**Tartarin (L.)**; very broad flowers, purplish violet, broad white centre.  
**Titanic (L.)**; flowers nearly 2 inches wide, rose lake, eye deep purple.  
**Troubadour (L.)**; large flowers, soft rose and white in regular rays.  
**Tyran (L.)**; rose veined crimson, eye dark purple.

#### HERBACEOUS PEONIES

Our selection, 24/— and 36/— doz.

	each. s. d.
<b>Albert Crousse (Crousse)</b> ; big flowers, pink.....	2 0
<b>Alesia (L.)</b> ; a superb flower of unusual size, very full and of good substance, creamy white, centre flushed pale sulphur, late.....	5 0
<b>Alsace-Lorraine (L.)</b> ; enormous cup-shaped and imbricated flowers, creamy white passing to straw white.....	5 0

	each. s. d.
<b>Argentine (L.)</b> ; superb globular flowers of a perfect shape, creamy white, fragrant.....	7 6
<b>Armide (L.)</b> , enormous flowers, white tinged cream in the centre....	7 6
<b>Atrosanguinea (Calot)</b> ; full flowers carmine red.....	1 6
<b>Beaumarchais (L.)</b> ; large imbricated flowers, pink flushed mauve, a tall late-flowering sort.....	1 6
<b>Bélisaire (L.)</b> ; soft flesh colour, spotted cherry.....	1 6
<b>Bertrade (L.)</b> ; creamy white, sulphur centre.....	1 6
<b>Claire Dubois (Crousse)</b> ; deep pink tinged with mauve.....	1 6
<b>Claude Gelée (L.)</b> ; pure white, good habit, late.....	1 6
<b>Colombine (L.)</b> ; cup-shaped flowers, white with a yellowish centre. ....	1 6
<b>Directeur Aubry (Cr.)</b> ; amaranth carmine.....	1 6
<b>Eliane (L.)</b> ; strong stems carrying large double creamy white flowers, dwarf.....	3 0
<b>Empereur Nicolas (Cr.)</b> ; amaranth red.....	1 6
<b>Eucharis (L.)</b> ; large flowers, fleshy white and cream.....	1 6
<b>Evangéline (L.)</b> ; large full imbricated flowers, pink and mauve, sweet-scented, late.....	2 6
<b>Fraîcheur (L.)</b> ; enormous full flowers, large imbricated petals, creamy white, outside shaded pale pink.....	1 0
<b>Geneviève (L.)</b> ; enormous full flowers, creamy white, very late.....	2 6
<b>Hermès</b> ; incurved flowers, pale pink, sweet-scented.....	1 6
<b>Isoline (L.)</b> ; enormous cup-shaped flowers, yellowish white.....	5 0
<b>Jocelyn (L.)</b> ; full cup-shaped flowers, pale silvery pink, sweet-scented.	5 0
<b>La fée (L.)</b> ; large flowers, mauve rose and white, tall.....	3 6
<b>La fiancée (L.)</b> ; enormous flowers, cream white, yellowish centre....	1 6
<b>La Fontaine (L.)</b> ; pale pink with silvery sheen.....	2 6
<b>La Lorraine (L.)</b> ; creamy white, a superb variety.....	7 6
<b>Lamartine (L.)</b> ; carmine rose bordered silvery pink.....	3 6
<b>La tendresse (Cr.)</b> ; full flowers, milk white.....	1 6
<b>Laurence (L.)</b> ; cream with pink undersides, sweet-scented.....	1 0
<b>M<sup>me</sup> Emile Lemoine (L.)</b> ; white slightly flushed pale pink (A. M. R. H. S.).....	3 6
<b>M<sup>me</sup> Escary (L.)</b> ; immense cup-shaped flowers, creamy white.....	3 0
<b>Marie Crousse (Cr.)</b> ; soft salmon pink, sweet-scented.....	2 0
<b>Marie Lemoine (Calot)</b> ; creamy white, very late.....	2 6
<b>Mignon (L.)</b> ; globular flowers, white suffused pale pink and amber, sweet-scented.....	2 6
<b>Milton Hill (Richardson)</b> ; incurved flowers, fleshy pink, late.....	3 0
<b>Mirabeau (L.)</b> ; satiny pink and mauve, sweet-scented.....	3 6
<b>M. Charles Levêque (Calot)</b> ; flowers pale pink, sweet-scented.....	2 6
<b>M. Jules Elie (L.)</b> ; very large flowers, deep pink with silvery sheen..	2 6
<b>Mont-Blanc (L.)</b> , white and cream, early.....	1 6
<b>Odalisque (L.)</b> ; big cup-shaped flowers, white suffused cream, sweet scented.....	2 6
<b>Othello (L.)</b> ; very deep purple crimson.....	2 0
<b>Pierre Duchartre (Cr.)</b> ; pale flesh-coloured lilac, sweet-scented....	2 6
<b>Primevère (L.)</b> pale primrose, yellow centre.....	3 6
<b>Rosine (L.)</b> ; globular flowers, pink lilac, late.....	2 0
<b>Rubicon (L.)</b> ; trusses of flat double flowers, deep rose with paler edges, fragrant, strong erect stalks, rather dwarf, splendid habit.....	3 6
<b>Solange (L.)</b> ; very full flowers, fleshy white and amber, sweet-scented, late (A. M. R. H. S.).....	5 0
<b>Solfatare (Calot)</b> ; primrose passing to white.....	2 0

	each. s. d.
<b>Sylviane</b> ( <i>L.</i> ); flowers of an unusual size, creamy white with yellowish shade.....	5 0
<b>Walter Faxon</b> ( <i>Richardson</i> ); self pure rose, late .....	2 0
<b>Welcome guest</b> ( <i>Hollis</i> ); large flowers, silvery pink and cream.....	2 0

### Alice Harding (*L.*)

This variety was awarded on June 8<sup>th</sup> 1922 the special prize founded by Mrs. Edward Harding for the best French seedling Pæony. Tall vigorous stems, very large flowers of the most perfect shape, broad petals of the best substance, cream white, 10/— each.

#### HERBACEOUS PÆONIES, CHOICE BOTANICAL SPECIES each. s. d.

<b>Decora</b> ; a low clump, foliage olive green, medium-sized flowers, bright carmine, May 10.....	1 6
<b>Lobata</b> ; leaflets obovate, pale green, flowers pale coral red.. ..	3 6
<b>Lucida</b> ; a variety of <i>P. officinalis</i> with cup-shaped flowers, bright scarlet .....	2 6
<b>Pubens</b> ; a tall sort with enormous flowers, bright carmine, very showy.	2 6
<b>Russii major</b> ( <i>L.</i> ); a hybrid between <i>P. Russii</i> and <i>P. Wittmanniana</i> , one of the earliest to flower, very large flowers, carmine rose shaded mauve.....	3 6
<b>Tenuifolia latifolia</b> ; foliage delicately cut, large single flowers, bright carmine .....	2 0
<b>Veitchii</b> ; a dwarf and early species, flowers rose .....	3 6
<b>Woodwardii</b> ; a dwarf species with pink flowers, early.....	3 6

#### EARLY HYBRID PÆONIES

of *P. sinensis* crossed by *P. Wittmanniana*

<b>Alpha</b> ( <i>Arends</i> ); 8 to 10 petals, creamy-white faintly suffused pink ..	3 6
<b>Avant-garde</b> ( <i>L.</i> ); medium-sized single flowers, very pale pink, veined, golden stamens with violet filaments, May 15.....	3 6
<b>Le printemps</b> ( <i>L.</i> ); large flowers, 6 or 7 petals, yellowish and cream, veined, May 10 .....	5 0
<b>Mai fleuri</b> ( <i>L.</i> ); large flowers, white suffused flesh, May 10.....	5 0
<b>Reine de mai</b> ( <i>A.</i> ); yellowish white suffused pale pink, May 10 .....	3 6

#### PRIMULA CORTUSOIDES (*P. Sieboldii*)

1/— each.

<b>Dentelle</b> ( <i>L.</i> ); fringed flowers, pale lilac.
<b>Fimbriata oculata</b> ( <i>L.</i> ); magenta, white centre.
<b>Gaieté</b> ( <i>L.</i> ); purple, white eye.
<b>Géant</b> ( <i>L.</i> ); deep pink lilac with white veins.
<b>Ida</b> ( <i>L.</i> ); light violet.
<b>Nymphe</b> ( <i>L.</i> ); large flowers, pure white.
<b>Rosalba</b> ( <i>Veitch</i> ); pale rose.

## DOUBLE POTENTILLAS

6/— doz.

- Arabella** (L.); deep minium red.  
**Arc-en-ciel** (L.); chrome yellow striped blood red.  
**Bigarrure** (L.); semi-double, yellow streaked red.  
**Caméléon** (L.); orange red edged yellow.  
**Candidat** (L.); coral red, slightly edged yellow.  
**Capella** (L.); velvety maroon.  
**Caucase** (L.); ruby red, bordered yellow.  
**Cérès** (L.); salmon, orange and vermilion.  
**Cratère** (L.); scarlet edged yellow.  
**Daphnis** (L.); bronze red.  
**Don Quichotte** (L.); dark yellow striped purple.  
**Drap d'or** (L.); orange edged yellow.  
**Drapeau** (L.); gold yellow striped purple.  
**Eldorado** (L.); purple maroon edged yellow.  
**Etendard** (L.); fiery purple edged yellow.  
**Feu follet** (L.); bright scarlet edged yellow.  
**Fulton** (L.), red and yellow, very large flowers.  
**Géraudel** (L.); orange yellow streaked maroon.  
**Héroïne** (L.); dark red bordered yellow.  
**Jupiter** (L.); crimson spotted yellow.  
**Laurium** (L.); yellow and buff.  
**Mandarin** (L.); dark maroon edged gold.  
**Melpomène** (L.); dark maroon edged orange.  
**Négresse** (L.); black maroon.  
**Nigra plena** (L.); very dark purple maroon.  
**Panorama** (L.); yellow dotted purple.  
**Papillon** (L.); dark purple red.  
**Proserpine** (L.); blood red edged yellow.  
**Tragédie** (L.); bronze red, broad yellow edge.  
**Van Dyck** (L.); yellow dotted scarlet.  
**Velours pourpre** (L.); dark purplish crimson.  
**William Rollisson** (L.); orange, very fine.

## PYRETHRUMS

DOUBLE VARIETIES

6/— doz.

- Ajax** (H.-D.); carmine lilac with yellow tips.  
**Alfred Kelway** (Kelway); big flowers, bright carmine.  
**Aphrodite** (K.); pure white, very fine.  
**Aurore boréale** (L.); straw white with yellow centre.  
**Dora** (L.); white with a sulphur centre.  
**Figaro** (K.); rosy lake.  
**Lord Rosebery**; brilliant crimson scarlet (A. M. R. H. S.).  
**La vestale** (L.); fimbriate flowers, pale lilac.  
**Louis Delesalle** (Deles.); glistening crimson.  
**Magicien** (L.); pink with yellow tips.  
**Météore** (K.); crimson with paler tips.  
**Mignon** (L.); soft lilac.  
**Nec plus ultra** (Rendatler); pale mauve.  
**Némésis** (L.); purple rose.

**Perle de Wilryck** (*Nagels*); white.  
**Psyché** (*L.*); carmine rose surrounded pink.  
**Queen Mary**; large flowers, pink (A. M. R. H. S.).  
**Transcendant** (*L.*); bright carmine.  
**Triomphe de France** (*Deles.*); crimson shaded magenta.  
**Yvonne Cayeux** (*Cayeux*); pale primrose shading to white.

SINGLE VARIETIES	each. s. d.
<b>Clémence</b> ; deep red.....	0 4
<b>Eileen May Robinson</b> ; delicate shade of soft shell pink (A.M.R.H.S.).	0 9
<b>Freya</b> ; two rows of florets, bright pink.....	0 4
<b>James Kelway</b> ( <i>K.</i> ); large flowers, rich cardinal red (A. M. R. H. S.).	0 9
<b>Luna</b> ; soft pink.....	0 4
<b>Mrs. Bateman Brown</b> ; deep crimson .....	0 9
<b>Prince of Wales</b> ; purplish carmine.....	0 4
<b>Reine des blanches</b> ; pure white.....	0 4
<b>Rubens</b> ( <i>Nagels</i> ); carmine rose.....	1 0
<b>Ruth</b> ; rose pink.....	0 9
<b>Standard</b> ; bright carmine red.....	0 6

## Bulbs and roots

### BEGONIAS

#### *Begonia fulgens*

This plant forms a low clump of foliage from which spring a quantity of upright flower-stalks with flowers carried well above the foliage, of a very brilliant cherry red colour. One of the most useful bedding Begonias, although still rare in gardens, 5/— doz.

#### *Begonia Martiana grandiflora* (*L.*)

This superb variety proceeds from a cross between two Mexican sorts, *B. gracilis Martiana* and *B. gracilis racemiflora*; tubers white and smooth, thick upright and well branched stems, furnished with glossy leaves, and carrying on every axil short panicles of regular four-petalled flowers of a bright cerise rose. It succeeds best grown in a sunny border, 1/6 each, 15/— doz.

#### *Begonia Tapis rose* (*L.*)

(sold out)

### GLADIOLUS HYBRIDUS LEMOINEI

	each. s. d.
<b>Abyssinie</b> ; dark mahogany violet, <i>early</i> .....	3 0
<b>Angkor</b> ; broad flowers, pale yellow, heavily blotched orange.....	2 0
<b>Baron Joseph Hulot</b> ; blue violet with dark blotches.....	0 6
<b>Contraste</b> ; soft flesh colour, two blotches bright orange, <i>early</i> .....	1 0

	each. s. d.
<b>Croix d'or</b> ; strong erect spikes, flowers pure yellow, two blotches blood red.	3 0
<b>D'Artagnan</b> ; tall spikes of immense flowers, bright scarlet blotched fire red .....	2 0
<b>Dr. Regel</b> ; apricot salmon blotched maroon .....	0 6
<b>Domino rose</b> ; bright cherry rose, spotted maroon and straw .....	0 9
<b>Edouard Greig</b> ; bright rose blotched amaranth, <i>late</i> .....	0 9
<b>Emile Gebhart</b> ; creamy white, large blotches, dark red .....	0 9
<b>Ernest Lavis</b> ; broad flowers ruby red, 2 blotches maroon, <i>late</i> ..	1 0
<b>Frédéric Passy</b> ; pale sulphur yellow spotted purple, <i>late</i> .....	1 0
<b>Général Maugin</b> ; handsome spikes of large flowers, bright orange red with vivid crimson markings .....	3 0
<b>Gil Blas</b> ; salmon blotched scarlet and yellow, <i>very early</i> .....	0 6
<b>Jane Dieulafoy</b> ; cream spotted maroon, <i>early</i> .....	0 6
<b>Léon Duval</b> ; straw white, blotched orange, <i>early</i> .....	0 9
<b>Louis Hémon</b> ; upright spikes, erect regular flowers, 3 inner lobes pure yellow, 3 outer lobes salmon orange red .....	0 6
<b>Lucien Guitry</b> ; orange, throat cream blotched maroon, <i>early</i> .....	0 9
<b>Lucile</b> ; deep chrome yellow, 2 triangular blotches, blood red .....	1 0
<b>M<sup>me</sup> Desbordes-Valmore</b> ; flesh blotched scarlet, <i>early</i> .....	0 6
<b>M<sup>me</sup> George Boulay</b> ; a superb variety with broad flowers of a perfect shape, white slightly shaded blush, 2 large blotches blood red surrounded straw yellow .....	1 6
<b>M<sup>me</sup> Mounet-Sully</b> ; milk white, orange blotches, <i>very early</i> .....	1 0
<b>Madelon</b> ; sturdy spikes carrying a number of large flowers, creamy white with superb crimson maroon blotches, <i>early</i> .....	3 0
<b>M<sup>lle</sup> Bartet</b> ; white blotched purple, <i>late</i> .....	0 6
<b>Marthe Braudès</b> ; beautiful spikes of large flowers, creamy white, strongly blotched blood-red and orange, an improvement on <i>M<sup>me</sup> Mounet-Sully</i> .....	1 6
<b>Maurice Barrès</b> ; long spikes of pure yellow flowers with two orange red blotches .....	1 6
<b>Odalisque</b> ; tall strong spikes, flowers creamy white, blotched blood red.	1 6
<b>Pasteur</b> ; flowers of an unusual size, light ruby red, two large blotches maroon surrounded with creamy white .....	3 0
<b>Paul Cambon</b> ; sturdy spikes of large flowers, vivid cinnabar red with crimson blotches, an improvement on <i>Rouget de Lisle</i> .....	1 0
<b>Paul Decharme</b> ; amaranth, <i>early</i> .....	0 6
<b>Président Mac Kinley</b> ; velvety maroon .....	1 0
<b>Président Magnaud</b> ; pale salmon blotched red and cream .....	1 0
<b>Prophétesse</b> ; cream white spotted blood red, <i>very early</i> .....	0 6
<b>Rose Caron</b> ; creamy white, triangular purple blotches .....	0 9
<b>Rouget de Lisle</b> ; scarlet blotched maroon .....	1 0
<b>Sémaphore</b> ; blood-red blotched maroon and gold .....	0 6
<b>S. Mottet</b> ; cream blotched orange, <i>very early</i> .....	1 0
<b>Viucennes</b> ; strong spikes of large flowers, cream shaded pink, broad blotches, crimson-edged straw yellow .....	2 6

The 38 varieties for 42/—.

## GLADIOLUS HYBRIDUS NANCEIANUS

	each s. d.
<b>Capitaine Braultot</b> ; pure salmon, spotted maroon and cream .....	1 0
<b>Centenaire</b> ; tall spikes of superb flowers, bright cerise red, spotted and dotted purple with a yellow stripe .....	3 0
<b>Claude Anet</b> ; white mottled pale pink, and dotted purplish rose, <i>early</i> ..	1 0

	each. s. d.
<b>Dominique Bonnaud</b> ; pink mottled deep rose, two crimson bloches ..	0 6
<b>Général Langlois</b> ; cherry dotted crimson and cream.....	0 9
<b>Général Lyautey</b> ; rose, throat dotted crimson and surrounded with white.....	1 0
<b>Général Maistre</b> ; long sturdy spikes, very large flowers of the brightest scarlet, throat blotched and dotted crimson and yellow, <i>early</i> .....	3 0
<b>Général Malleterre</b> ; purplish carmine, throat yellow, blotched and dotted maroon, <i>early</i> .....	1 6
<b>Magicien</b> ; crimson violet dotted straw yellow, <i>very early</i> .....	0 6
<b>Ministre Pichon</b> ; bright rose spotted crimson and white.....	1 0
<b>Nostradamus</b> ; eosine red, throat white, dotted purple .....	2 6
<b>Paul Crampel</b> ; carmine spotted and dotted ruby.....	1 6
<b>Paul Deschanel</b> ; a superb variety with big flowers, rose mottled carmine and blotched deep cerise, <i>late</i> .....	3 6
<b>Pelletier Doisy</b> ; tall erect spikes, medium-sized flowers, sulphur yellow, curiously spotted crimson.....	2 0
<b>Professeur Bazin</b> ; salmon dotted maroon .....	1 0
<b>Roi Albert</b> ; broad flowers, pale coppery salmon and crushed strawberry, spotted and dotted dark ruby and gold.. ..	3 0
<b>Tolstoi</b> ; salmon, throat straw, edged violet and purple, <i>late</i> .....	1 6
<b>Tragédie (L.)</b> ; fiery orange, spotted maroon and gold.....	3 0
<b>Vendetta</b> ; garnet striped maroon, lower segments dotted crimson, <i>very early</i> .....	0 6

The 19 varieties for 28/—.

## GLADIOLUS HYBRIDUS PRIMULINUS

We hybridised *Gladiolus primulinus* with some of the finest yellow *Lemoinei*, and raised some very interesting sorts, surpassing *G. primulinus* in vigour, height of the spikes and shape of the flowers, which stand upright on the flower-stalks, and possess a most gracious character.

	each. s. d.	doz. s. d.
<b>Primulinus</b> ; the species introduced from Victoria Falls, small flowers, sulphur yellow, <i>early</i> .....	0 3	2 6
<b>Concolor</b> ; large flowers, pale Naples yellow, lower segments sulphur yellow, very distinct, <i>early</i> .....	0 6	5 0
<b>Eximius</b> ; good spikes, flowers of a pure primrose yellow; lower segments deep canary, <i>early</i> .....	0 6	5 0
<b>Maculatus</b> ; bright chrome yellow with large brown blotches, <i>early</i> .....	0 3	2 6
<b>Major</b> ; flowers chrome yellow, slightly feathered maroon on the lower segments, <i>early</i> .....	0 3	2 6
<b>Rutilans</b> ; outside orange striped yellow, inside bright orange with a golden throat.....	1 0	10 "
<b>Salmoneus</b> ; salmon and buff yellow, inside pure yellow with small purplish spots, <i>early</i> .....	0 6	5 0
<b>Sulfureus</b> ; large flowers, pale sulphur yellow, 2 segments deep sulphur with a purple line, <i>early</i> .....	0 6	5 0
<b>Undulatus</b> ; broad undulated flowers of a very pleasing shape, pale sulphur yellow .....	1 0	10 "

The 9 varieties for 4/6.

## MONTBRETIAS

	each. s. d.	doz. s. d.
<b>Auricule</b> ( <i>L.</i> ); golden yellow, blotched brown at the throat...	0 6	» »
<b>Aurore</b> ( <i>L.</i> ); tall spikes of large flowers, orange yellow.....	0 6	» »
<b>Feu d'artifice</b> ( <i>L.</i> ); bright cadmium yellow with red tips....	0 3	3 3
<b>George Davison</b> ( <i>Davison</i> ); tall spikes, pure yellow.....	0 3	2 6
<b>King Edmund</b> ( <i>Davison</i> ); yellow with small chocolate spots ( <i>A. M. R. H. S.</i> ) .....	0 3	2 6
<b>Koh-i-Noor</b> ; broad lobes, orange yellow.....	1 0	» »
<b>Lady Hamilton</b> ( <i>D.</i> ); yellow and apricot ( <i>A. M. R. H. S.</i> )...	0 3	2 6
<b>Messidor</b> ( <i>L.</i> ); pale yellow changing to straw yellow.....	2 0	» »
<b>Moisson dorée</b> ( <i>L.</i> ); broad lobes, pale orange yellow, with a brown ring surrounding the yellow centre.....	2 0	» »
<b>Morgenroth</b> ( <i>Pf.</i> ); deep orange yellow blotched maroon. ....	0 3	2 6
<b>Œil de dragon</b> ( <i>Vilm.</i> ); fierce blood red.....	0 9	7 6
<b>Queen Alexandra</b> ( <i>Morris</i> ); clear apricot yellow, dark eye ( <i>A. M. R. H. S.</i> ).....	0 3	2 6
<b>Westwick</b> ( <i>D.</i> ); orange with a yellow centre and a dark maroon ring.....	1 6	» »

*The 13 varieties for 9/—.*

## Crocasmia aurea maculata


Large flowers orange with brown blotches in the centre, 1/6 *each*.

## Antholyza crocosmioides

Probably a hybrid, tall branched spikes, gold and orange, 3 *d. each*, 1/6 *doz.*

## SEEDS

	s. d.
<b>Double Delphiniums</b> ; of our well-known splendid strain, <i>per packet</i>	2 0
<b>White-flowered Delphiniums</b> ; producing a good percentage of white-flowered single and double varieties.....	100 seeds 3 6
<b>Lemaine's Giant blue Heliotropes</b> ; immense trusses of ten to fifteen inches across, the colours ranging from deep lilac to all shades of violet, blue and indigo. 15/ — <i>doz. packets..... per packet</i>	1 6





## European Nursery Catalogues

**A virtual collection project by:**  
Deutsche Gartenbaubibliothek e.V.

**Paper version of this catalogue hold by:**  
Deutsche Gartenbaubibliothek e.V.

**Digital version sponsored by:**  
Stiftung Deutsche Klassenlotterie Berlin

COMMERCIAL USE FORBIDDEN  
Attribution-NoDerivatives 4.0 international (C BY-ND 4.0)